

843 Response to Request for Quotation

Functional Group ID= **RR**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Response to Request for Quotation Transaction Set (843) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide potential buyers with price, delivery schedule, and other terms from potential sellers of goods and services, in response to a request for such information.

Notes:

- 1. Provide all mandatory and required segments, data elements, and codes for an offeror to adequately prepare a proposal, quote, or bid. As a general rule, provide any information when it differs from the originating Request for Quotation.*
- 2. This implementation convention can be used to provide a quote in response to an Request for Quote (RFQ), a bid in response to an Invitation for Bid (IFB), a proposal in response to a Request for Proposal (RFP) or a Broad Agency Announcement, or information in response to a Request for Information (RFI). For simplicity, the term quote will be used in this convention for all the above.*
- 3. When BQR01 is code 02, 03, or 04, use only those segments and data elements that are mandatory or necessary to add, delete, or change data in the quote. Transmit the segment(s) or loop(s) containing the added, deleted or changed data in their entirety.*

Heading:

	<u>Pos.</u> <u>No.</u>	<u>Seg.</u> <u>ID</u>	<u>Name</u>	<u>Req.</u> <u>Des.</u>	<u>Max.Use</u>	<u>Loop</u> <u>Repeat</u>	<u>Notes and</u> <u>Comments</u>
	010	ST	Transaction Set Header	M	1		
	020	BQR	Beginning Segment for Response to Request for Quotation	M	1		
N/U	030	NTE	Note/Special Instruction	F	100		
	040	CUR	Currency	O	1		
	050	REF	Reference Numbers	O	>1		
N/U	060	PER	Administrative Communications Contact	O	3		
N/U	070	TAX	Tax Reference	O	3		
	080	FOB	F.O.B. Related Instructions	O	>1		
N/U	090	CTP	Pricing Information	O	>1		
	095	PAM	Period Amount	O	10		
N/U	110	CSH	Header Sale Condition	O	25		
	120	SAC	Service, Promotion, Allowance, or Charge Information	O	25		
	130	ITD	Terms of Sale/Deferred Terms of Sale	O	5		
	140	DIS	Discount Detail	O	20		
	150	DTM	Date/Time Reference	O	10		

843 - Response to Request for Quotation

	160	LDT	Lead Time	O	12	
N/U	180	LIN	Item Identification	O	5	n1
N/U	190	PID	Product/Item Description	O	200	
	200	MEA	Measurements	O	40	
	210	PWK	Paperwork	O	25	
	220	PKG	Marking, Packaging, Loading	O	25	
N/U	230	TD1	Carrier Details (Quantity and Weight)	O	2	
	240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
N/U	250	TD3	Carrier Details (Equipment)	O	12	
	260	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
N/U	270	MAN	Marks and Numbers	O	10	
N/U	280	CTB	Restrictions/ Conditions	O	5	
N/U	285	CPR	Commodity Price Reference	O	2	
LOOP ID - N9					1000	
	290	N9	Reference Number	O	1	
	300	MSG	Message Text	O	1000	
LOOP ID - N1					10000	
	310	N1	Name	O	1	
	320	N2	Additional Name Information	O	2	
	330	N3	Address Information	O	2	
	340	N4	Geographic Location	O	1	
	350	REF	Reference Numbers	O	12	
	360	PER	Administrative Communications Contact	O	>1	
N/U	370	FOB	F.O.B. Related Instructions	O	1	
N/U	380	TD1	Carrier Details (Quantity and Weight)	O	2	
	390	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
N/U	400	TD3	Carrier Details (Equipment)	O	12	
	410	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
	420	PKG	Marking, Packaging, Loading	O	25	
N/U	430	MSG	Message Text	O	>1	

Detail:

Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
LOOP ID - PO1					100000	
	010	PO1	Baseline Item Data	O	1	
N/U	020	CUR	Currency	O	1	
	030	PO3	Additional Item Detail	O	25	
	040	CTP	Pricing Information	O	>1	
N/U	045	PAM	Period Amount	O	10	
	049	MEA	Measurements	O	40	
LOOP ID - PID					1000	
	050	PID	Product/Item Description	O	1	
N/U	060	MEA	Measurements	O	10	

843 - Response to Request for Quotation

	070	PWK	Paperwork	O	25	
	080	PKG	Marking, Packaging, Loading	O	25	
	090	PO4	Item Physical Details	O	>1	
	100	REF	Reference Numbers	O	>1	
N/U	110	PER	Administrative Communications Contact	O	3	
	130	SAC	Service, Promotion, Allowance, or Charge Information	O	25	
N/U	140	IT8	Conditions of Sale	O	25	
	150	ITD	Terms of Sale/Deferred Terms of Sale	O	2	
	160	DIS	Discount Detail	O	20	
N/U	170	TAX	Tax Reference	O	3	
	180	FOB	F.O.B. Related Instructions	O	>1	
N/U	190	SDQ	Destination Quantity	O	50	
	200	DTM	Date/Time Reference	O	10	
N/U	230	FST	Forecast Schedule	O	5	
N/U	240	TD1	Carrier Details (Quantity and Weight)	O	1	
	250	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
N/U	260	TD3	Carrier Details (Equipment)	O	12	
	270	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
N/U	280	MAN	Marks and Numbers	O	10	
	289	MSG	Message Text	O	>1	
N/U	290	CTB	Restrictions/ Conditions	O	5	
	291	SPI	Specification Identifier	O	>1	
LOOP ID - SCH					104	
	292	SCH	Line Item Schedule	O	1	n2
N/U	293	TD1	Carrier Details (Quantity and Weight)	O	1	
N/U	294	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
N/U	296	TD3	Carrier Details (Equipment)	O	12	
N/U	298	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
LOOP ID - CST					100	
N/U	300	CST	Cost Analysis	O	1	
N/U	310	PID	Product/Item Description	O	1	
N/U	320	CUR	Currency	O	1	
N/U	330	DTM	Date/Time Reference	O	2	
LOOP ID - SLN					1000	
N/U	340	SLN	Subline Item Detail	O	1	
N/U	350	PID	Product/Item Description	O	1000	
LOOP ID - CST					100	
N/U	360	CST	Cost Analysis	O	1	
N/U	370	PID	Product/Item Description	O	1	
N/U	380	CUR	Currency	O	1	
N/U	390	DTM	Date/Time Reference	O	2	
LOOP ID - PD					>1	

843 - Response to Request for Quotation

	392	PD	Pricing Data	O	1	
	393	PDD	Pricing Data Detail	O	>1	
			LOOP ID - LDT		>1	
	394	LDT	Lead Time	O	1	
	395	QTY	Quantity	O	>1	
	396	MSG	Message Text	O	1	
			LOOP ID - LM		>1	
	397	LM	Code Source Information	O	1	
	398	LQ	Industry Code	M	>1	
			LOOP ID - N9		1000	
	400	N9	Reference Number	O	1	
	410	MSG	Message Text	O	1000	
			LOOP ID - N1		>1	
	420	N1	Name	O	1	
	430	N2	Additional Name Information	O	2	
	440	N3	Address Information	O	2	
	450	N4	Geographic Location	O	1	
N/U	460	REF	Reference Numbers	O	12	
	470	PER	Administrative Communications Contact	O	3	
N/U	480	FOB	F.O.B. Related Instructions	O	1	
	485	SCH	Line Item Schedule	O	200	
N/U	490	TD1	Carrier Details (Quantity and Weight)	O	2	
	500	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
N/U	510	TD3	Carrier Details (Equipment)	O	12	
	520	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
	530	PKG	Marking, Packaging, Loading	O	25	
			LOOP ID - LDT		>1	
	550	LDT	Lead Time	O	1	
	560	MAN	Marks and Numbers	O	10	
	570	QTY	Quantity	O	5	
	580	MSG	Message Text	O	1	

Summary:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
010	CTT	Transaction Totals	M	1		n3
015	AMT	Monetary Amount	O	1		
020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. If segment LIN is used, do not use LIN01.
2. The SCH segment is used to specify various quantities of items ordered that are to be scheduled. When this segment is used the unit of measurement code (SCH02) should always be identical to the unit of

measurement code in the associated PO1 segment (PO103) and the sum of values of quantity (SCH01) should always equal the quantity ordered (PO102) in the PO1 segment.

3. Number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:
Notes: *This unique control number is assigned by the originator of the transaction set or by the originator's application program. This same number is carried in SE02.*

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use ST01	143	Transaction Set Identifier Code	M	ID 3/3
		Code uniquely identifying a Transaction Set		
		843 X12.8 Response to Request for Quotation		
Must Use ST02	329	Transaction Set Control Number	M	AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set		

Segment: **BQR** Beginning Segment for Response to Request for Quotation
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a Response to Request for Quote Transaction Set and transmit identifying numbers and dates
Syntax Notes: 1 If either BQR04 or BQR05 is present, then the other is required.
Semantic Notes: 1 BQR03 is the date to be used for reference purposes in an RFQ and a response to RFQ.
Comments:
Notes: Use to identify the purpose of the transaction set.

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use BQR01	353	Transaction Set Purpose Code	M ID 2/2
		Code identifying purpose of transaction set	
		Use to identify the purpose of transaction set.	
	00	Original	
		For the first submission of a quote, use code 00. For successive submissions of a quote for the same solicitation, DO NOT USE code 00, use either code 02, 03, 04, or 07.	
	01	Cancellation	
		Use to indicate a cancellation of a previously submitted quote.	
	02	Add	
		Use to indicate an amended quote that is adding a new or first occurrence of a free standing segment(s) or a new or first iteration of a loop(s). When used, transmit the segment(s) or loop(s) containing the data to be added in their entirety.	
	03	Delete	
		Use to indicate an amended quote that is deleting, without replacement, an entire occurrence of a free standing segment(s) or an entire iteration of a loop(s). When used, transmit the segment(s) or loop(s) containing the data to be deleted in their entirety.	
	04	Change	
		Use to indicate an amended quote that contains a combination of data additions, deletions or changes to a previously transmitted quote. When used, transmit all segments or loops that contain data	

additions, deletions or changes in their entirety. Use this code only when codes 02 and 03 do not apply.

07

Duplicate

Use to indicate that this is a duplicate quote.

Must Use BQR02 586 Request for Quote Reference Number M AN 1/45
 Number assigned by the purchaser to identify his request for quote
1. Use to identify the solicitation number to which this transaction set is responding. If amendments to the solicitation have been issued, the solicitation number and the last amendment number will be concatenated.

2. Use also to identify the contract number of an undefinitized contract action (UCA) to which this transaction set is responding. If the UCA is a call, release, or delivery order against a basic award instrument (BEG02 is code RL), concatenate the basic award instrument number with the call, release or delivery order number. When BEG02 in the 850 transaction set is code RL, concatenate the basic award instrument number from BEG03 with the call, release or delivery order number from BEG04. In this situation, cite code RE in BQR06.

Must Use BQR03 373 Date M DT 6/6
 Date (YYMMDD)

Use to indicate the date of a solicitation. If amendments to the solicitation have been issued, cite the date of the last amendment.

Must Use BQR04 374 Date/Time Qualifier X ID 3/3
 Code specifying type of date or time, or both date and time

098

Bid (Effective)

Use to indicate the date the quote is being submitted.

171

Revision

When BQR01 is either code 02, 03, or 04, use to indicate the date a revised quote is being submitted.

177

Cancellation

When BQR01 is code 01, use to indicate the date a quote is being canceled.

Must Use BQR05 373 Date X DT 6/6
 Date (YYMMDD)

BQR06 379 Bid Type Response Code O ID 2/2

Code indicating the type of response to the request for bid or quote

When BQR06 is code BW, DQ, or UQ, use either the 1/N9/290 or 2/N9/400 loop to explain or specify exceptions to the solicitation.

AB

Alternate Bid

Use to indicate a substitute product is being offered or other variations from the solicited item are being proposed. When this code is used, specific information must be provided in the PO1 loop. If other exceptions are being taken, use code BW.

BF	Best and Final <i>Use to indicate this quote represents the offeror's Best and Final offer.</i>
BI	Bid Without Exception <i>When this code is used, only the mandatory segments, required data elements, and segments to provide pricing, cost information, certifications, representations, or fill-in information are necessary.</i>
BW	Bid With Exception (Request for Information) <i>When possible, exceptions should be provided within the transaction set, e.g., delivery exceptions, packaging exceptions, etc. When not possible, use either the 1/N9/290 or 2/N9/400 loop (using code KT in N901) to provide the exceptions.</i>
DQ	Decline to Quote <i>Use the 1/N9/290 loop (using code 55 in N901) to explain.</i>
RE	Replacement <i>Use to indicate a quote in response to an undefinitized action.</i>
RT	Request for Time Extension <i>Use to indicate the offeror is requesting a time extension to submit the quote. When used to request an extension for all line items, only the mandatory segments and the 1/DTM/150 segment, code 992, need be transmitted. When used to request an extension for individual line items, only the mandatory segments, the applicable 2/PO1/010 segment (PO101 only) and the 2/DTM/200 segment (with DTM01 citing code 992) need be transmitted.</i>
UQ	Unable to Quote <i>Use the 1/N9/290 loop (using code 55 in N901) to explain.</i>

BQR07	786	Security Level Code	O ID 2/2
Code indicating the level of confidentiality assigned by the sender to the information following			
<i>Use to identify the highest level of government security classification or commercial protection applicable to the quote. If the quote has both a government security classification and a commercial protection level applicable to the quote, the government security classification takes precedence and shall be cited in this data element. The commercial protection level applicable to specific items within the quote can be identified in the 2/SPI/291 segment.</i>			
	06	Supplier Proprietary	
	11	Competition Sensitive	
	92	Government Confidential	

93	Government Secret
94	Government Top Secret

Segment:	CUR Currency
Position:	040
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	1
Purpose:	To specify the currency (dollars, pounds, francs, etc.) used in a transaction
Syntax Notes:	<ol style="list-style-type: none"> 1 If CUR08 is present, then CUR07 is required. 2 If CUR09 is present, then CUR07 is required. 3 If CUR10 is present, then at least one of CUR11 or CUR12 is required. 4 If CUR11 is present, then CUR10 is required. 5 If CUR12 is present, then CUR10 is required. 6 If CUR13 is present, then at least one of CUR14 or CUR15 is required. 7 If CUR14 is present, then CUR13 is required. 8 If CUR15 is present, then CUR13 is required. 9 If CUR16 is present, then at least one of CUR17 or CUR18 is required. 10 If CUR17 is present, then CUR16 is required. 11 If CUR18 is present, then CUR16 is required. 12 If CUR19 is present, then at least one of CUR20 or CUR21 is required. 13 If CUR20 is present, then CUR19 is required. 14 If CUR21 is present, then CUR19 is required.
Semantic Notes:	
Comments:	1 See Figures Appendix for examples detailing the use of the CUR segment.
Notes:	<ol style="list-style-type: none"> 1. Use this segment when the quote is in other than U.S. dollars or payment in other than US dollars is being requested. If the quote is in other than U.S. dollars, identify the exchange rate for U.S. dollars applicable to the currency in which the quote is submitted. 2. When this segment is used to request payment in other than US dollars, cite code SE in CUR01 and the requested payment currency in CUR05. No exchange rate is required for the payment currency. 3. When quoting in US dollars but requesting payment in another currency, to comply with the X12 syntax, cite code SE in CUR01, USD in CUR02 and identify the payment currency in CUR05.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use CUR01	98 Entity Identifier Code	M ID 2/2
	Code identifying an organizational entity, a physical location, or an individual	
	SE Selling Party	
Must Use CUR02	100 Currency Code	M ID 3/3
	Code (Standard ISO) for country in whose currency the charges are specified	

<i>Use to identify the currency in which the quote is being submitted.</i>					
CUR03	280	Exchange Rate	O R	4/6	
		Value to be used as a multiplier conversion factor to convert monetary value from one currency to another			
		<i>Use to identify the exchange rate for the currency in which the quote is being submitted (when other than US dollars) to US dollars.</i>			
CUR04	98	Entity Identifier Code	O ID	2/2	
		Code identifying an organizational entity, a physical location, or an individual			
		SE	Selling Party		
CUR05	100	Currency Code	O ID	3/3	
		Code (Standard ISO) for country in whose currency the charges are specified			
		<i>Use to identify the currency in which payment is requested, if other than US dollars.</i>			

Segment: **REF** Reference Numbers

Position: 050

Loop:

Level: Heading

Usage: Optional

Max Use: >1

Purpose: To specify identifying numbers.

Syntax Notes: 1 At least one of REF02 or REF03 is required.

Semantic Notes:

Comments:

Notes:

1. Use this 1/REF/050 segment to identify reference numbers that apply to all of the line items. If the reference numbers vary by line item, use the 2/REF/100 segment.
2. At least one occurrence of this REF segment with REF01 citing code PR is **REQUIRED** to provide the quoting party's quotation number.
3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data				Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>			
Must Use REF01	128	Reference Number Qualifier			M ID 2/2
		Code qualifying the Reference Number.			
		When codes CT or W6 are used, one iteration of the 1/DTM/150 segment is REQUIRED . Use code 036 (Expiration) in DTM01 and provide the expiration date of the cited schedule or contract in DTM02.			
	2Y	Wage Determination			
		Use to indicate a Department of Labor Wage Determination number.			
	73	Statement of Work (SOW)			
		If a Statement of Work is part of the quote, the PWK segment can be used to indicate how the SOW is being provided.			
	97	Package Number			
	AH	Agreement Number			
		Use to indicate a Union Agreement			
	C7	Contract Line Item Number			
	CH	Customer catalog number			
	CR	Customer Reference Number			
		Use to indicate the internal number that the quoting party is assigning to identify the buying party.			
	CT	Contract Number			
		Use to indicate a contract or agreement other than a Federal Supply Schedule from which the quoted item			

	<i>can be ordered. Enter the contract number in REF02 and explain the nature of the contract in REF03 if necessary. The expiration date of the contract must be specified in the DTM segment.</i>
DG	<p>Drawing Number</p> <p><i>If a revision number and/or date must be cited for the drawing number, concatenate the revision number with the drawing number and provide the date in REF03.</i></p>
IJ	<p>Standard Industry Classification (SIC) Code</p> <p><i>Use to indicate an exception is being taken to the Standard Industry Classification (SIC) code applicable to the solicitation. When used, the bidder should cite the SIC code considered appropriate.</i></p>
IX	<p>Item Number</p> <p><i>Use to indicate a Federal supply schedule (FSS) special item number.</i></p>
K6	Purchase Description
LT	Lot Number
LX	<p>Qualified Products List</p> <p><i>Use to indicate the Qualified Products List (QPL) number where the quoted item can be found.</i></p>
NI	Military Standard (MIL-STD) Number
P4	<p>Project Code</p> <p><i>Use to indicate the project number applicable to the solicitation.</i></p>
PR	<p>Price Quote Number</p> <p><i>Use to indicate the number the quoting party is assigning to the quote. Use of this code is REQUIRED. Each change to a quote should be assigned a new number or at least have an extension to the original number, e.g., if the original number is 12345, changes can be identified by -1, -2, etc.</i></p>
QC	Product Specification Document Number
S2	Military Specification Number (MILSPEC)
S3	<p>Specification Number</p> <p><i>Use to indicate a specification number other than a MIL-SPEC. When used, identify the specification in REF03.</i></p>
TN	<p>Transaction Reference Number</p> <p><i>Use to indicate the unique reference number for a related transaction set (e.g., an 841 transaction set carrying a related technical specification or drawing). Each transaction set has a unique number. In the case of the 841 transaction set, that number is</i></p>

			<i>carried in SPI02.</i>
	TP		Test Specification Number
	VW		Standard
			<i>Use to indicate a standard other than a MIL-STD.</i>
			<i>When used, identify the standard in REF03.</i>
	W6		Federal Supply Schedule Number
			<i>Use to indicate a Federal Supply Schedule in which</i>
			<i>the quoted item can be found and provide the</i>
			<i>Schedule number in REF02. The expiration date</i>
			<i>MUST be noted in the DTM segment.</i>
	ZZ		Mutually Defined
			<i>Use to indicate another type of reference number.</i>
			<i>When used, identify the nature of the number in</i>
			<i>REF03.</i>
REF02	127	Reference Number	X AN 1/30
			Reference number or identification number as defined for a particular
			Transaction Set, or as specified by the Reference Number Qualifier.
			<i>If a document has a revision, the document number and the revision</i>
			<i>number should be concatenated and cited in this data element.</i>
REF03	352	Description	X AN 1/80
			A free-form description to clarify the related data elements and their
			content
			<i>1. Use, if necessary, to carry additional information applicable to a</i>
			<i>reference number cited in REF02.</i>
			<i>2. Use of free form text is discouraged if the information can be provided</i>
			<i>by some other means within the transaction set.</i>

Segment:	FOB F.O.B. Related Instructions
Position:	080
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	>1
Purpose:	To specify transportation instructions relating to shipment
Syntax Notes:	<ol style="list-style-type: none"> 1 If FOB03 is present, then FOB02 is required. 2 If FOB04 is present, then FOB05 is required. 3 If FOB07 is present, then FOB06 is required. 4 If FOB08 is present, then FOB09 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 FOB01 indicates which party will pay the carrier. 2 FOB02 is the code specifying transportation responsibility location. 3 FOB06 is the code specifying the title passage location. 4 FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.
Comments:	
Notes:	<ol style="list-style-type: none"> 1. Use this 1/FOB/080 segment if the FOB point and acceptance location apply to all of the line items. When the FOB point and/or acceptance location varies by line item, use the 2/FOB/180 segment. 2. This segment is not used when the quote is for construction or a service without deliverables. 3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		Attributes
Des.	Element	Name	
Must Use	FOB01	146 Shipment Method of Payment	M ID 2/2
		Code identifying payment terms for transportation charges	
		BP	Paid by Buyer
			<i>Use to indicate a Government Bill of Lading (GBL) will be issued.</i>
		PE	Prepaid and Summary Bill
			<i>Use when transportation charges are to be prepaid by the seller, are not included in the unit price, and are to be invoiced periodically.</i>
		PP	Prepaid (by Seller)
			<i>Use to indicate that transportation charges are not included in the unit price but are prepaid and are to be added as a separate item on this instrument's invoice. When used, if known, specify the cost in the SAC segment citing code I260 in SAC02.</i>

PS

Paid by Seller

Use to indicate transportation charges are included in the unit price.

FOB02	309	Location Qualifier	X	ID	1/2
-------	-----	--------------------	---	----	-----

Code identifying type of location

Use to identify the FOB point.

DE	Destination (Shipping)
----	------------------------

FV	Free Alongside Vessel (Free On Board [F.O.B.] Point)
----	--

IT Intermediate FOB Point

Use to indicate the FOB point is a freight forwarder. Provide the address in the N1 loop, citing code IC in N101.

OR Origin (Shipping Point)

ZZ Mutually Defined

Use to indicate another FOB point, i.e., neither at origin nor at destination. Provide the address in the N1 loop, citing code KX in N101.

FOB06	309	Location Qualifier	X	ID	1/2
-------	-----	--------------------	---	----	-----

Code identifying type of location

Use to identify the acceptance point. This code also identifies the inspection location unless N101 in the 1/N1/310 loop is Code L1.

DE	Destination (Shipping)
----	------------------------

OR Origin (Shipping Point)

ZZ Mutually Defined

Use to indicate the acceptance point is neither at origin nor at destination. Provide the address in the N1 loop, using code KZ in N101.

Segment: **PAM** Period Amount

Position: 095

Loop:

Level: Heading

Usage: Optional

Max Use: 10

Purpose: To indicate a quantity, and/or amount for an identified period

Syntax Notes:

- 1 If any of PAM01 PAM02 or PAM03 is present, then all are required.
- 2 At least one of PAM02 or PAM05 is required.
- 3 If either PAM04 or PAM05 is present, then the other is required.
- 4 If either PAM06 or PAM07 is present, then the other is required.
- 5 If PAM07 is present, then at least one of PAM08 or PAM09 is required.
- 6 If PAM08 is present, then PAM07 is required.
- 7 If PAM09 is present, then PAM07 is required.
- 8 If PAM10 is present, then at least one of PAM11 or PAM12 is required.
- 9 If PAM11 is present, then PAM10 is required.
- 10 If either PAM13 or PAM14 is present, then the other is required.

Semantic Notes: 1 PAM10, PAM11, or PAM12 are used when two dates are required.

Comments:

Notes: *Use this segment to identify the amount of a bid guarantee that is being submitted as part of the quote. Specify in the PWK segment how the bid guarantee is being provided.*

Data Element Summary

Ref.	Data			
Des.	Element	Name	Attributes	
PAM04	522	Amount Qualifier Code	X	ID 1/2
		Code to qualify amount		
		B0 Bond		
		<i>Use to indicate a bid guarantee.</i>		
PAM05	782	Monetary Amount	X	R 1/15
		Monetary amount		

Segment:	SAC Service, Promotion, Allowance, or Charge Information
Position:	120
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	25
Purpose:	To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of SAC02 or SAC03 is required. 2 If either SAC03 or SAC04 is present, then the other is required. 3 If either SAC06 or SAC07 is present, then the other is required. 4 If either SAC09 or SAC10 is present, then the other is required. 5 If SAC11 is present, then SAC10 is required. 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required. 7 If SAC14 is present, then SAC13 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required. 2 SAC05 is the total amount for the service, promotion, allowance, or charge. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence. 3 SAC08 is the allowance or charge rate per unit. 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge. 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used. 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
Comments:	<ol style="list-style-type: none"> 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02. 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to a "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.
Notes:	<i>Use this 1/SAC/120 segment to identify prices and, if applicable, quantities, for services or non-CLIN charges identified in the solicitation that apply to all of the line items. If the price for the services or non-CLIN charges vary by line item, use the 2/SAC/130 segment.</i>

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	M ID 1/1
Must Use SAC01	248 Allowance or Charge Indicator	
	Code which indicates an allowance or charge for the service specified	
	C Charge	
	N No Allowance or Charge	

Use to indicate there is no charge for the service specified SAC02.

SAC02 1300 Service, Promotion, Allowance, or Charge Code X ID 4/4

Code identifying the service, promotion, allowance, or charge

1. Any code may be used but the listed codes are preferred.

2. As a minimum, the codes listed in the solicitation must be used to identify whether or not there is a charge.

B180 Cleaning Charge

B610 Container Service Charge USA/Canada

Use to indicate a reusable container.

B870 Customs Charge

C240 Disconnect Charge

C330 Distribution Fee

C370 Diversion Charge

C880 Expediting Premium

D500 Handling

D530 Hazardous Cargo Charge

D660 Hook-up charge

D820 Inside Delivery

D870 Inspection

D890 Installation and Training

D900 Installation

E340 Less Than Truckload (LTL) Charge

Use to indicate a charge for a less than carload or truckload delivery.

E400 Loading (Labor Charges)

F150 Packaging Service

F460 Postage

F560 Premium Transportation

F830 Proof of Delivery

Use to indicate a charge for the preparation of a DD Form 250.

G030 Reconnect charge

G350 Rents and Leases

G470 Restocking Charge

G530 Rework

G580 Royalties

G660 Scrap Allowance

G740 Service Charge

G760 Set-up

H170 Special Tooling Charge

H430 Storage

H540 Supplemental Items

Use to indicate the amount for Contractor Acquired Parts (CAP).

H550 Surcharge

H850 Tax

Use to indicate total taxes applicable to the total quote amount that are included in the unit prices.

H990 Testing Services Charge

I260 Transportation Direct Billing

Use to indicate the amount for pre-paid transportation charges that will be added to an invoice.

I380 Unloading (Labor Charges)

I590 Warranties

Refer to 003050 Data Element Dictionary for acceptable code values.

SAC05	610	Amount	O	N2	1/15
		Monetary amount			
SAC06	378	Allowance/ Charge Percent Qualifier	X	ID	1/1
		Code indicating on what basis allowance or charge percent is calculated			
		<i>1. Use any code.</i>			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
SAC07	332	Percent	X	R	1/6
		Percent expressed as a percent			
		<i>Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).</i>			
SAC08	118	Rate	O	R	1/9
		Rate expressed in the standard monetary denomination for the currency specified			
SAC09	355	Unit or Basis for Measurement Code	X	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
		<i>An application program conversion table may be required to convert agency codes to X12 codes.</i>			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
SAC10	380	Quantity	X	R	1/15
		Numeric value of quantity			
		<i>If applicable, use to identify the quantity to which the amount in SAC05 applies. SAC10/11 can be used together to specify a quantity range to which the amount in SAC05 applies.</i>			
SAC11	380	Quantity	O	R	1/15
		Numeric value of quantity			

Segment: **ITD** **Terms of Sale/Deferred Terms of Sale**

Position: 130

Loop:

Level: Heading

Usage: Optional

Max Use: 5

Purpose: To specify terms of sale

Syntax Notes:

- 1 If ITD03 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 2 If ITD08 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 3 If ITD09 is present, then at least one of ITD10 or ITD11 is required.

Semantic Notes:

- 1 ITD15 is the percentage applied to a base amount used to determine a late payment charge.

Comments:

- 1 If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

Notes:

1. Use this segment to identify a discount applicable to the entire quote.
2. The Prompt Payment Act specifies payment terms as Net 30 unless an appropriate discount is applicable. Contractors do not need to cite net payment terms.

Data Element Summary

Ref.	Data			
Des.	Element	Name	Attributes	
ITD03	338	Terms Discount Percent	O	R 1/6
		Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date <i>Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).</i>		
ITD05	351	Terms Discount Days Due	X	N0 1/3
		Number of days in the terms discount period by which payment is due if terms discount is earned		

Segment: **DIS** Discount Detail

Position: 140

Loop:

Level: Heading

Usage: Optional

Max Use: 20

Purpose: To specify the exact type and terms of various discount information

Syntax Notes:

Semantic Notes:

- 1 DIS05 is the minimum for application of the discount.
- 2 DIS06 is the maximum for application of the discount.

Comments:

Notes:

1. Use this 1/DIS/140 segment to identify volume discounts that apply to all of the line items or the entire order that are based on the dollar value purchased. Use the 2/DIS/160 segment if the discount varies by line item.
2. Use the 1/N9/290 segment, with N901 citing code L1, and the 1/MSG/300 segment to specify other volume or promotional discounts that apply to all of the line items or the entire order..

Data Element Summary

Ref.	Data				
	<u>Des.</u>	<u>Element</u>	<u>Name</u>		<u>Attributes</u>
Must Use	DIS01	653	Discount Terms Type Code		M ID 3/3
			Code to define the units in which the discount will be determined, i.e., dollars, case, truckload, etc.		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
Must Use	DIS02	654	Discount Base Qualifier		M ID 2/2
			Code to define unit of discount, i.e., dollars, cases, alternate products, etc.		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
Must Use	DIS03	655	Discount Base Value		M R 1/10
			A multiplier amount used in conjunction with discount base qualifier to determine the value of the discount		
Must Use	DIS04	656	Discount Control Limit Qualifier		M ID 2/3
			Code to define the units of the limits for determining discount		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
Must Use	DIS05	657	Discount Control Limit		M N0 1/10
			Amount or time associated with application of the discount		
	DIS06	657	Discount Control Limit		O N0 1/10
			Amount or time associated with application of the discount		

Segment: **DTM** **Date/Time Reference**

Position: 150

Loop:

Level: Heading

Usage: Optional

Max Use: 10

Purpose: To specify pertinent dates and times

Syntax Notes:

- 1** At least one of DTM02 DTM03 or DTM06 is required.
- 2** If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

- 1. Use this 1/DTM/150 segment to identify dates that apply to the entire quote or all of the line items. When the dates vary by line item, use the 2/DTM/200 segment.*
- 2. This segment can be used to quote a delivery date when it is specified as an actual date. If the delivery schedule is quoted as a set time period after the occurrence of some event, use the 1/LDT/160 segment.*
- 3. This segment can also be used to request an extension of the quote submission date, to extend the quote expiration date, to provide the date of a FSS or other contract, or to specify the midpoint of the proposed effort.*
- 4. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.*

Data Element Summary

Ref.	Data			Attributes
Des.	Element	Name		
Must Use DTM01	374	Date/Time Qualifier		M ID 3/3
		Code specifying type of date or time, or both date and time		
		017	Estimated Delivery	
		036	Expiration	
			<i>Use to indicate the expiration date of a Federal Supply Schedule or contract. This relates to information provided in the 1/REF/050 segment specifically for codes CT, and W6.</i>	
		037	Ship Not Before	
		063	Do Not Deliver After	
			<i>Use to indicate deliveries cannot be made after a specified date and/or time.</i>	
		064	Do Not Deliver Before	
			<i>Use to indicate deliveries cannot be made before a specified date and/or time.</i>	
		065	1st Schedule Delivery	
		066	1st Schedule Ship	
		069	Promised for Delivery	

	<i>Use to indicate the exact date when the offeror proposes to make delivery.</i>
075	Promised for Delivery (Prior to and Including) <i>Use to indicate the date on or before which the offeror proposes to make delivery.</i>
078	Promised for Delivery (Week of) <i>When this code is used, cite the beginning date of the week.</i>
174	Month Ending <i>Use to indicate delivery is required on the last date of the specified month.</i>
193	Period Start <i>Use to indicate the performance period start date.</i>
194	Period End <i>Use to indicate the performance period end date.</i>
227	Lease Term Start
228	Lease Term End
276	Contract Start <i>Use to indicate the commencement date of an Agreement or an IDC award instrument.</i>
279	Contract Completion <i>Use to indicate the completion date of an Agreement or an IDC award instrument.</i>
368	Submittal <i>When REF01 is code TN, use to indicate the date of a related transaction set.</i>
375	Delivery Start <i>Use to indicate the start date for deliveries when the total quantity is to be delivered during a specified time period.</i>
376	Delivery End <i>Use to indicate the end date for deliveries when the total quantity is to be delivered during a specified time period.</i>
800	Midpoint of Performance <i>Use to indicate the date when half the effort in terms of dollars or hours will be completed.</i>
937	Department of Labor Wage Determination Date <i>Use to indicate the date of a Department of Labor Wage Determination.</i>
992	Date Requested <i>When BQR06 is code RT, use to indicate the extension date requested for a quote submission</i>

DTM02	373	Date	X	DT	6/6
		Date (YYMMDD)			
DTM03	337	Time	X	TM	4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)			
		<i>If applicable, use to indicate the time for a delivery.</i>			
DTM04	623	Time Code	O	ID	2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow			
		<i>Specify the time only in the HHMM format.</i>			
		CT Central Time			
		ET Eastern Time			
		GM Greenwich Mean Time			
		LT Local Time			
		MT Mountain Time			
		PT Pacific Time			
DTM05	624	Century	O	N0	2/2
		The first two characters in the designation of the year (CCYY)			
DTM06	1250	Date Time Period Format Qualifier	X	ID	2/3
		Code indicating the date format, time format, or date and time format			
		<i>1. Use any code.</i>			
		<i>2. Use to qualify a date when it is necessary to express the date in other than YYMMDD format. Use also, to qualify a range of dates or times.</i>			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
DTM07	1251	Date Time Period	X	AN	1/35
		Expression of a date, a time, or range of dates, times or dates and times			
		<i>Use to identify a time range for deliveries on a specified date, e.g., use code RTM in DTM06 to qualify a delivery range for March 30, 1995 between 1:00 PM and 4:00 PM local time. Use DTM01/02 to convey the March 30, 1995 date.</i>			

Segment: **LDT** Lead Time

Position: 160

Loop:

Level: Heading

Usage: Optional

Max Use: 12

Purpose: To specify lead time for availability of products and services

Syntax Notes:

Semantic Notes: 1 LDT04 is the effective date of lead time information.

Comments: 1 LDT02 is the quantity of unit of time periods.

Notes:

1. Use this 1/LDT/160 segment when the quote delivery schedule applies to all of the line items and there will be only one delivery of the total quantity. If the quote delivery schedule varies by line item or more than one delivery will be required for the total quantity, use the 2/LDT/394 loop. If the quote delivery schedule differs by ship-to addressee, use the 2/LDT/550 loop.
2. Use this segment when the delivery schedule is expressed as a set time period after the occurrence of some event. The previous DTM segment is used when the delivery date is an actual date.
3. This segment can also be used to indicate the length of the quote acceptance period allowed by the offeror or to specify when the midpoint of the proposed effort will be reached.
4. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use LDT01	345	Lead Time Code	M ID 2/2
		Code indicating the time range	
		AA	From date of PO receipt to sample ready.
		AD	From date of sample approval to first product shipment.
		AE	From date of PO receipt to shipment.
		AF	From date of PO receipt to delivery.
		AP	From Date of Award to Midpoint of Effort
		AT	From Bid Opening to Expiration of Bid
			<i>Use to indicate the bid acceptance period allowed by the offeror with the bid opening date as the basis.</i>
		AU	From Required-By Date to Expiration Date
			<i>Use to indicate the bid acceptance period allowed by the offeror with the bid due date as the basis.</i>
		AV	From Date of Award to Date of Latest Delivery
		AW	From Date of Award to Date of Earliest Delivery

			AX	From Date of Award to Date of Completion <i>Use to indicate the completion date, e.g., for a level of effort.</i>			
			AY	From Date of Award to Date of Delivery			
			AZ	From Date of Receipt of Item to Date of Approval of Item			
Must Use	LDT02	380	Quantity		M	R	1/15
				Numeric value of quantity			
Must Use	LDT03	344	Unit of Time Period or Interval		M	ID	2/2
				Code indicating the time period or interval			
			CY	Calendar Year			
			DA	Calendar Days			
			KK	Maximum Calendar Days <i>Use to indicate a flexible time period, e.g., X number of days or less.</i>			
			MO	Month			
			QY	Quarter of a Year			
			SA	Semiannual			
			WK	Weeks			
	LDT04	373	Date		O	DT	6/6
				Date (YYMMDD) <i>Use, as applicable, to cite the effective date of a lead time. For example, the start date of the cited activity.</i>			

Segment:	MEA Measurements
Position:	200
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	40
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required. 2 If MEA05 is present, then MEA04 is required. 3 If MEA06 is present, then MEA04 is required. 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required. 5 Only one of MEA08 or MEA03 may be present.
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.
Notes:	<p>1. Use this 1/MEA/200 segment to provide information that applies to all of the line items. If the information varies by line item, use the 2/MEA/049 segment.</p> <p>2. This segment can be used to specify the variations in quantity permitted; and for a requirements or an indefinite quantity type procurement instrument, the minimum/maximum quantity per order, the maximum that may be ordered during a specified time period, and the minimum and maximum obligations of the government and the contractor.</p> <p>3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.</p>

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>O</u> <u>ID</u> <u>2/2</u>
MEA01	737 Measurement Reference ID Code	
	Code identifying the broad category to which a measurement applies	
	Use any code.	
	<i>BT Batch Limits</i>	
	Use to indicate the minimum and maximum limits of the government's obligation to order either in terms of dollars or quantity under a requirements or indefinite quantity type award instrument, a task order or a delivery order depending on the code cited in BQT06 of the 840 solicitation. Use MEA04-C00101 to identify the unit of measure (dollars, each, etc.) and use MEA05/06 to specify the minimum and maximum.	
	<i>CT Counts</i>	
	Use to indicate variations in quantity when it is expressed as a discrete quantity. Specify the quantity under and/or over in MEA05/06.	

DE Defects

Use to indicate a warranty period.

LT Lot Limits

Use to indicate the minimum and maximum limits of the contractor's obligation either in terms of dollars or quantity to deliver under a requirements or an indefinite quantity type award instrument. Do not use for a purchase order or delivery order. Use MEA04-C00101 to identify the unit of measure (dollars, each, etc.) and use MEA05/06 to specify the minimum and maximum.

OL Order Limits

Use to indicate the maximum that the government may order from a requirements or an indefinite quantity type award instrument in a specified time period. Do not use for a purchase order or delivery order. Use MEA03 to identify the quantity, MEA04-C00101 to identify the unit of measure, and MEA04-C00104 to identify the time period.

PM Permitted

Use to indicate the minimum and maximum quantity or dollars that are permitted per order against a requirements or an indefinite quantity type award instrument. Use MEA04-C00101 to identify the unit of measure (dollars, each, etc.) and use MEA05/06 to specify the minimum and maximum.

Refer to 003050 Data Element Dictionary for acceptable code values.

MEA02 738 Measurement Qualifier O ID 1/3

Code identifying a specific product or process characteristic to which a measurement applies

Use any code.

MX Maximum

When MEA01 is code OL, use to indicate the maximum amount that can be ordered in a specified period of time.

PO Percent of Order (-, +)

Use to indicate the variation of quantity permitted when it is expressed as a percent of the quantity ordered. Specify the percent under and/or over in MEA05/06.

RY Ratio

Use to indicate the proposed share ratio for an incentive or cost sharing contract. Identify the proposed Government share in MEA05 and the proposed contractor share in MEA06.

TT Time

Use to indicate the length of a warranty period. Specify the number of days, weeks, months or years in MEA03 and the time period in MEA04-C00101.

Refer to 003050 Data Element Dictionary for acceptable code values.

MEA03	739	Measurement Value	X R 1/20
		The value of the measurement	
MEA04	C001	Composite Unit of Measure	X
		To identify a composite unit of measure (See Figures Appendix for examples of use)	
		<i>1. This composite unit of measure can be used to indicate the maximum that may be ordered during a specified period of time under a requirements or an indefinite quantity type award instrument.</i>	
		<i>2. For example: If the maximum that can be ordered per quarter is 10,000 each, then MEA01 would cite code OL, MEA02 would cite code MX, MEA03 would cite 10,000, MEA04-C00101 would cite code EA and MEA04- C00104 would cite code Q1.</i>	
Must Use C00101	355	Unit or Basis for Measurement Code	M ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
		<i>1. Use any code.</i>	
		<i>2. An application program conversion table may be required to convert agency codes to X12 codes.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
C00104	355	Unit or Basis for Measurement Code	O ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
		<i>1. Use any code.</i>	
		<i>2. An application program conversion table may be required to convert agency codes to X12 codes.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
MEA05	740	Range Minimum	X R 1/20
		The value specifying the minimum of the measurement range	
		<i>1. When MEA01 is code CT or MEA02 is code PO, use to specify the variation in quantity under.</i>	
		<i>2. When MEA02 is RY, use to specify the proposed Government share.</i>	
		<i>3. When MEA01 is code BT, LT, or PM, use to specify the minimum amount or quantity.</i>	
		<i>4. Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).</i>	
MEA06	741	Range Maximum	X R 1/20
		The value specifying the maximum of the measurement range	
		<i>1. When MEA01 is code CT or MEA02 is code PO, use to specify the variation in quantity over.</i>	

2. *When MEA02 is RY, use to specify the proposed contractor share.*
3. *When MEA01 is code BT, LT, or PM, use to specify the maximum amount or quantity.*
4. *Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).*

Segment: **PWK** Paperwork
Position: 210
Loop:
Level: Heading
Usage: Optional
Max Use: 25
Purpose: To identify the type and transmission of paperwork or supporting information
Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.
Semantic Notes:
Comments: 1 PWK05 and PWK06 may be used to identify the addressee by a code number.
 2 PWK07 may be used to indicate special information to be shown on the specified report.
 3 PWK08 may be used to indicate action pertaining to a report.
Notes: 1. Use this 1/PWK/210 segment, when needed, to indicate either paperwork required in the Request for Quote (PWK segment in the 840), or other paperwork applicable to the quote is being provided by means other than within this transaction set. If there is paperwork applicable to a specific line item, use the 2/PWK/070 segment.
 2. Use this segment to provide information essential to the quote.

Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
Must Use PWK01	755	Report Type Code	M ID 2/2
		Code indicating the title or contents of a document, report or supporting item	
		Use to identify the type of paperwork the offeror is providing.	
	25	Purchase Plan	
		Use to indicate a make or buy plan.	
	35	Subcontractor Plan	
	AE	Attachment	
		Use to indicate some additional type document is being provided by means other than within the transaction set. Specify the nature of the document in PWK07.	
	C1	Cost Data Summary	
		Use to indicate non-certified cost and price data.	
	C5	Certified Cost and Price Data	
	C6	Wage Determination	
		Use to indicate a Department of Labor Wage Determination.	
	DW	Drawing(s)	
	IT	Certified Inspection and Test Results	
		Use to indicate test results for a QBL, QML, or QPL item.	

MS	Material Safety Data Sheet
PJ	Purchasing Specification <i>Use to indicate a statement of work.</i>
PM	Proof of Insurance
SD	Support Data for a Request for Quote <i>Use to indicate that supporting technical documentation, e.g., technical proposal, etc. are being provided. Use of this code is required when BQR06 is code AB.</i>
TJ	Asset Status Advice <i>Use to indicate a construction bid bond.</i>
UA	Union Agreement
US	"BUY AMERICA" Certification of Compliance

PWK02 756 Report Transmission Code O ID 1/2

Code defining timing, transmission method or format by which reports are to be sent

BE	By Mail and Electronically <i>Use to indicate E-Mail.</i>
BM	By Mail
CF	Courier
EL	Electronically Only <i>Use to indicate Electronic Data Interchange (EDI).</i>
FX	By Fax

PWK04 98 Entity Identifier Code O ID 2/2

Code identifying an organizational entity, a physical location, or an individual

Use to identify the party to whom the paperwork identified in PWK01 was sent. If there is more than one recipient of the same paperwork item, use multiple repetitions of the PWK segment with the same report code in PWK01. Provide the address of the recipient in the 1/N1/310 segment and/or the recipient communication number in the 1/PER/260 segment.

7N	Party to Receive Proposal
BY	Buying Party (Purchaser) <i>Use to indicate the contracting officer.</i>
IS	Party to Receive Certified Inspection Report <i>Use when PWK01 is code IT.</i>
KF	Audit Office
KG	Project Manager <i>Use to indicate the party responsible for a project to include the Advisor under a Grant.</i>
KY	Technical Office

PWK07 352 Description O AN 1/80

A free-form description to clarify the related data elements and their

content

1. Use, only if necessary, to identify additional information related to a specific paperwork item.

2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

	PWK08	C002	Actions Indicated	O
			Actions to be performed on the piece of paperwork identified	
Must Use	C00201	704	Paperwork/Report Action Code	M ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required	
			PV	Provided
				<i>Use to indicate the specified paperwork will be or is being provided by the offeror.</i>

Segment:	PKG Marking, Packaging, Loading
Position:	220
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	25
Purpose:	To describe marking, packaging, loading, and unloading requirements
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of PKG04 PKG05 or PKG06 is required. 2 If PKG04 is present, then PKG03 is required. 3 If PKG05 is present, then PKG01 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 PKG04 should be used for industry-specific packaging description codes.
Comments:	<ol style="list-style-type: none"> 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc. 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used. 3 Use PKG03 to indicate the organization that publishes the code list being referred to. 4 Special marking or tagging data can be given in PKG05 (description).
Notes:	<ol style="list-style-type: none"> 1. Use this 1/PKG/220 segment to identify packaging requirements that apply to all of the line items. If the packaging requirements apply to all of the line items to be delivered to a named entity, use the 1/PKG/420 segment. If the packaging requirements vary by line item, use the 2/PKG/080 segment or the 2/PKG/530 segment if the packaging requirements are applicable to a named entity. 2. Packaging information such as the number of items in a unit container, the number of unit containers in an intermediate container, and the gross weight, cube, and dimensions of a unit container or an intermediate container is carried in the 2/PO4/090 segment. 3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
PKG01	349	Item Description Type	X ID	1/1
		Code indicating the format of a description		
		F Free-form		
		S Structured (From Industry Code List)		
		X Semi-structured (Code and Text)		
PKG02	753	Packaging Characteristic Code	O ID	1/5
		Code specifying the marking, packaging, loading and related characteristics being described		
		Use the listed codes to identify applicable packaging requirements.		
		CD Cleaning or Drying Procedure		
		CT Cushioning Thickness		

		CUD	Cushioning and Dunnage			
		HM	Hazardous Material			
		IC	Intermediate Container			
		LP	Level Of Preservation			
		OPI	Optional Procedure Indicator			
		PK	Packing			
			<i>When the packing code associated with this Packaging Characteristic Code is a three position code; the first position signifies Level A packing for overseas shipments via surface; the second position signifies Level B packing for overseas shipments via freight forwarder, APO/FPO, or air; the third position signifies Level C packing for domestic shipments. When standard commercial packaging per ASTM D3951 is being proposed, cite MIL-STD 2073-2C code X in PKG04.</i>			
		PM	Preservation Method			
		PML	Preservation Material			
		SMK	Special Marking			
		UC	Unit Container			
		UCL	Unit Container Level			
		WM	Wrapping Material			
PKG03	559	Agency Qualifier Code		X	ID	2/2
		Code identifying the agency assigning the code values				
		DF	Department of Defense (DoD)			
		GS	General Services Administration (GSA)			
		ZZ	Mutually Defined			
			<i>Use to indicate a federal activity other than DoD or GSA. Data maintenance has been submitted to ASC X12 requesting a code for Federal Government. If approved, we expect the code will be available for use in ASC X12 Version/Release 3060.</i>			
PKG04	754	Packaging Description Code		X	AN	1/7
		A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product				
		<i>The actual codes associated with the packaging characteristic codes cited in PKG02 can be found in ASC X12 Code Source List 197 (which is MIL-STD-2073-2C).</i>				
PKG05	352	Description		X	AN	1/80
		A free-form description to clarify the related data elements and their content				
		<i>1. When PKG04 carries a code indicating that the item will be packed differently than required in the solicitation, use to provide an explanation.</i>				
		<i>2. Use of free form text is discouraged if the information can be provided</i>				

by some other means within the transaction set.

Segment: TD5 Carrier Details (Routing Sequence/Transit Time)**Position:** 240**Loop:****Level:** Heading**Usage:** Optional**Max Use:** 12**Purpose:** To specify the carrier and sequence of routing and provide transit time information**Syntax Notes:** 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required.

2 If TD502 is present, then TD503 is required.

3 If TD507 is present, then TD508 is required.

4 If TD510 is present, then TD511 is required.

Semantic Notes:**Comments:** 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.**Notes:** 1. Use this 1/TD5/240 segment to identify the transportation method that is applicable to all of the line items. If the transportation method applies to all of the line items to be delivered to a named entity, use the 1/TD5/390 segment. If the transportation method varies by line item, use the 2/TD5/250 or the 2/TD5/500 segment when the transportation method is applicable to a named entity.

2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	
TD504	91 Transportation Method/Type Code	X ID 1/2
	Code specifying the method or type of transportation for the shipment	
	1. Use any code.	
	2. An application program conversion table may be required to convert agency codes to X12 codes.	
	<i>D Parcel Post</i>	
	Use to indicate the US Postal Service and not a private carrier.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
TD512	284 Service Level Code	X ID 2/2
	Code defining service	
	Use any code.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	

Segment: **TD4** **Carrier Details (Special Handling, or Hazardous Materials, or Both)**

Position: 260

Loop:

Level: Heading

Usage: Optional

Max Use: 5

Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes:

- 1 At least one of TD401 TD402 or TD404 is required.
- 2 If TD402 is present, then TD403 is required.

Semantic Notes:

Comments:

Notes:

1. Use this 1/TD4/260 segment to provide special handling or hazardous material information when it applies to all of the line items. Use the 1/TD4/410 segment when the special handling or hazardous material information applies to all of the line items applicable to a named entity. If this information varies by line item, use the 2/TD4/270 segment or the 2/TD4/520 if the information is applicable to a named entity.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
TD401	152	Special Handling Code	X ID 2/3
		Code specifying special transportation handling instructions	
		<i>Any code may be used but the listed codes are preferred.</i>	
		<i>AMM A.M. Delivery Requirement</i>	
		<i>DA Dangerous</i>	
		<i>EX Explosive Flammable Gas</i>	
		<i>FG Flammable Gas</i>	
		<i>FL Flammable</i>	
		<i>FP Flammable Poison Gas</i>	
		<i>HM Endorsed as Hazardous Material</i>	
		<i>LT Less Than Full Carload</i>	
		<i>LTT Less Than Truckload</i>	
		<i>PG Poisonous Gas</i>	
		<i>PMM P.M. Delivery Requirement</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
TD402	208	Hazardous Material Code Qualifier	X ID 1/1
		Code which qualifies the Hazardous Material Class Code (209)	
		<i>Use any code.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
TD403	209	Hazardous Material Class Code	X AN 2/4

TD404	352	Code specifying the kind of hazard for a material Description	X AN 1/80
		A free-form description to clarify the related data elements and their content	
		<i>Use of free form text is discouraged if the information can be provided by some other means within the transaction set.</i>	

Segment: **N9** Reference Number

Position: 290

Loop: N9

Level: Heading

Usage: Optional

Max Use: 1

Purpose: To transmit identifying numbers and descriptive information as specified by the reference number qualifier

Syntax Notes:

- 1 At least one of N902 or N903 is required.
- 2 If N906 is present, then N905 is required.

Semantic Notes:

- 1 N906 reflects the time zone which the time reflects.

Comments:

Notes:

1. Use this 1/N9/290 loop to provide required information that is applicable to the entire quote. To provide information applicable to a line item, use the 2/N9/400 loop.
2. Use this loop to provide certifications, representations and fill-in information, as required in the solicitation (RRA segment) 840 transaction set, that is not provided elsewhere in the transaction set; to provide explanations when BQR06 is either code DQ or UQ; or to specify exceptions (BQR06 is code BW) being taken to some item in the solicitation that cannot be provided elsewhere in the transaction set.
3. When citing a clause in N902, the date of the clause *MUST* be cited in N904 and the title of the clause may be optionally cited in the following MSG segment.
4. When an Alternate section is applicable to a cited clause, the alpha/numeric alternate identifier and date *MUST* be cited in the following MSG segment.
5. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
Must Use N901	128	Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
	55	Sequence Number	
		When BQR06 is code DQ or UQ, use to indicate an explanation is being provided in the following MSG segment. Insert the word "Explanation" in N903 when using this code.	
	BB	Authorization Number	
		Use to indicate the Code of Federal Regulations.	
	CJ	Clause Number	
		Use to indicate a purchasing activity clause (i.e., a clause not found in FAR/DFARS/FIRMR, etc.). Identify the purchasing activity issuing the clause in	

	N903.
DF	Defense Federal Acquisition Regulations (DFAR)
DX	Department/Agency Number <i>Use to indicate an Agency Clause and identify the agency in N903.</i>
EC	Circular <i>Use to indicate an Office of Management and Budget (OMB) Circular number.</i>
FA	Federal Acquisition Regulations (FAR)
H4	Federal Information Resources Management Regulation
KR	Response to a Request for Quotation Reference <i>Use to indicate fill-in information required by the number cited in N902 is being provided in the following MSG segment.</i>
KT	Request for Quotation Reference <i>When BQR06 is code BW, use to indicate exceptions are being taken to items in the solicitation and are specified in the following MSG segment. Insert the word "Exception" in N903 when this code is used.</i>
KW	Certification <i>Use to indicate a certification required by the number cited in N902 is being provided in the following MSG segment.</i>
KX	Representation <i>Use to indicate a representation required by the number cited in N902 is being provided in the following MSG segment.</i>
KY	Site Specific Procedures, Terms, and Conditions
KZ	Master Solicitation Procedures, Terms, and Conditions <i>Use to indicate the Master Solicitation number that contains terms and conditions that pertain to the solicitation.</i>
L1	Letters or Notes <i>Use to indicate general information, comments, or notes are being provided by the bidder in the following MSG segment. Insert the word "Note" in N903 when this code is used.</i>
ZZ	Mutually Defined <i>Use to indicate that amounts applicable to incentive or cost sharing contracts are being provided in the MSG segment. When used, insert the word "Amounts" in N903.</i>

N902

127

Reference Number

X AN 1/30

N903	369	<p>Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.</p> <p>Free-form Description</p> <p>Free-form descriptive text</p> <p><i>1. When N901 is code 55, cite the word "Explanation"; when N901 is code KT, cite the word "Exception; when N901 is code L1, cite the word "Note"; when N901 is code ZZ, insert the word "Amounts"; when N901 is code CJ, or DX, identify the purchasing activity or agency issuing the clause cited in N902.</i></p> <p><i>2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.</i></p>	X AN 1/45
N904	373	<p>Date</p> <p>Date (YYMMDD)</p> <p><i>Use to identify the date of the clause cited in N902. The DD portion of the date will always be 01.</i></p>	O DT 6/6

Segment: **MSG** Message Text
Position: 300
Loop: N9
Level: Heading
Usage: Optional
Max Use: 1000
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:

Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Notes: 1. Use this segment when N901 is code KR, KW, or KX to provide a certification, representation or fill-in information required by the clause or paragraph number cited in N902; when N901 is code L1 to provide general comments or notes; when N901 is code 55 to provide an explanation for not providing a quote; when N901 is code KT, to identify exceptions being taken to some portion of the solicitation; or when N901 is code ZZ, to identify amounts applicable to incentive or cost sharing contracts.

2. When providing a certification, representation or fill-in information, the clause title, if cited, and the alternate identifier and date, if applicable, will be the first data provided. This data will be followed by a numeric designation of the number of data items being provided. Each data item will be preceded by the paragraph or section identifier in the clause where the certification, representation or fill-in information is to be inserted (if identifiers are included in the clause). If there is no paragraph or section designator, the required information will immediately follow the numeric designation of the data items being provided. If the information to be provided is to be selected from provided responses within the clause, cite the information that is selected.

3. A pipe sign (/) will be inserted after each data item. As an example, the information required by FAR 52.204-3 would be provided as follows:

Taxpayer Identification/ 3/ (c) TIN has been applied for/ (d) Other corporate entity/ (e) Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this clause/

Information required by DFARS 252.211-7012 would be provided as follows:

Certifications--Commercial Items--Competitive Acquisitions/ 2/(c)(1) Items offered are commercial items as defined in (b)(1)(iv)/ (c2)(ii) Will be produced using government production and research property identified below/ Milling Machine/ N0001992C1234/ Naval Air Systems Command/

In the second example, the name of the offeror and the solicitation number (required by the clause) are provided elsewhere within the transaction set therefore are not repeated in the certification.

4. Use this segment to provide information essential to the quote.

Data Element Summary				
	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	MSG01	933	Free-Form Message Text Free-form message text	M AN 1/264

Segment: **N1** Name

Position: 310

Loop: N1

Level: Heading

Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes:

- 1** At least one of N102 or N103 is required.
- 2** If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments:

- 1** This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2** N105 and N106 further define the type of entity in N101.

Notes:

- 1. Use this 1/N1/310 loop to identify entities or locations that apply to all of the line items. If information varies by line item, use the 2/N1/420 loop.*
- 2. Whenever possible, identification and address information should be provided using N101, N103, and N104. Use N102 and segment N2 through N4 as applicable when address information cannot be provided using one of the codes listed in N103.*
- 3. At least 2 repetitions of this are required using codes BY and SE in N101.*
- 4. Use this segment to provide information essential to the quote.*

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use N101	98 Entity Identifier Code	M ID 2/2
	Code identifying an organizational entity, a physical location, or an individual	
	28 Subcontractor	
	<i>Use this code only if the solicitation included a Contract Security Classification Specification (DD Form 254) and the offeror is to provide the name and address of a subcontractor.</i>	
	31 Postal Mailing Address	
	<i>Use only when an actual mailing address is required and it is different from the address provided for any other qualifier code. Do not use if another qualifier code can be used to pass this address. When used, cite the name of the party on N102 and the N2 segment, if necessary.</i>	
	61 Performed At	
	<i>Use to indicate the proposed place of performance when it is other than the offeror's mailing address.</i>	

7N	Party to Receive Proposal
AE	Additional Delivery Address <i>Use to indicate a ship in-place location.</i>
AG	Agent/Agency <i>Use this code to indicate the entity is responding on behalf of a company named in a previous iteration of the N1 loop.</i>
BY	Buying Party (Purchaser)
IC	Intermediate Consignee <i>When FOB02 is code IT, use to indicate a freight forwarder.</i>
IS	Party to Receive Certified Inspection Report
K1	Contractor Cognizant Security Office <i>Use this code only if the solicitation included the Contract Security Classification Specification (DD Form 254) and the offeror is to provide the name and address of the contractor cognizant security office.</i>
K2	Subcontractor Cognizant Security Office <i>Use this code only if the solicitation included a Contract Security Classification Specification (DD Form 254) and the offeror is to provide the name and address of the subcontractor cognizant security office.</i>
K3	Place of Performance Cognizant Security Office <i>Use this code only if the solicitation included a Contract Security Classification Specification (DD Form 254) and the offeror is to provide the name and address of the place of performance cognizant security office.</i>
KF	Audit Office
KG	Project Manager <i>Use to indicate the party responsible for a project to include the advisor under a Grant.</i>
KX	Free on Board Point <i>When FOB02 is code ZZ, use to indicate an FOB point other than at origin or destination.</i>
KY	Technical Office <i>Use to indicate the technical office that has cognizance over the technical portion of a solicitation if it is intended for bidders to deal directly with this entity.</i>
KZ	Acceptance Location <i>Use to indicate the acceptance location is proposed at other than origin or destination.</i>

		L1	Inspection Location			
		PW	Pick Up Address			
		RI	Remit To			
			<i>Use to indicate the place to send remittance when it is different than the contractor's address, e.g., a bank, financial office location, etc.</i>			
		SE	Selling Party			
		ST	Ship To			
			<i>Use this code when a different delivery schedule associated with a named entity is being proposed. If the ship-to address is an FPO or APO, cite the FPO or APO zip code in N104 and cite code AR in N405.</i>			
		SV	Service Performance Site			
			<i>Use to indicate the location where a service will be performed, e.g., grass cutting.</i>			
		TQ	Third Party Reviewing Organization (TPO)			
			<i>Use to indicate the office for receipt of foreign disclosure sensitive information per DoD Directive 5230.25.</i>			
		X2	Party to Perform Packaging			
N102	93	Name		X	AN	1/35
		Free-form name				
N103	66	Identification Code Qualifier		X	ID	1/2
		Code designating the system/method of code structure used for Identification Code (67)				
		<i>While the federal EDI program uses the DUNS number, other government users of this implementation convention may require the use of other and additional numbers for a transition period in order to cross reference existing data bases to new procurement actions.</i>				
		1	D-U-N-S Number, Dun & Bradstreet			
			<i>Use of the DUNS number is preferred over other codes to identify an entity. Use of this code is required when N101 is code SE.</i>			
		10	Department of Defense Activity Address Code (DODAAC)			
			<i>Use to indicate a DoD or Civilian Agency Activity Address Code.</i>			
		33	Commercial and Government Entity (CAGE)			
			<i>Use to indicate a commercial entity. If the commercial entity does not have a CAGE code, use code ZC.</i>			
		A2	Military Assistance Program Address Code (MAPAC)			
N104	67	Identification Code		X	AN	2/20
		Code identifying a party or other code				

Segment: **N2 Additional Name Information**
Position: 320
Loop: N1
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:
Notes: *This segment is not necessary when the entity cited in N101 is described by a code in N103/N104.*

Data Element Summary				
Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use N201	93	Name	M	AN 1/35
		Free-form name		
N202	93	Name	O	AN 1/35
		Free-form name		

Segment: **N3 Address Information**
Position: 330
Loop: N1
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:
Notes: *This segment is not necessary when the entity cited in N101 is described by a code in N103/N104.*

Data Element Summary			
Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use N301	166	Address Information	M AN 1/35
		Address information	
N302	166	Address Information	O AN 1/35
		Address information	

Segment: **N4 Geographic Location**
Position: 340
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2 N402 is required only if city name (N401) is in the USA or Canada.
Notes: *This segment is not necessary when the entity cited in N101 is described by a code in N103/N104.*

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
N401	19	City Name	O AN 2/30
		Free-form text for city name	
N402	156	State or Province Code	O ID 2/2
		Code (Standard State/Province) as defined by appropriate government agency	
N403	116	Postal Code	O ID 3/11
		Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
N404	26	Country Code	O ID 2/3
		Code identifying the country	
N405	309	Location Qualifier	X ID 1/2
		Code identifying type of location	
		AR Armed Services Location Designation	
		Use to indicate an Army Post Office (APO) or Fleet Post Office (FPO).	
N406	310	Location Identifier	O AN 1/30
		Code which identifies a specific location	

Segment: **REF** Reference Numbers
Position: 350
Loop: N1
Level: Heading
Usage: Optional
Max Use: 12
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:
Notes: *Use of this segment is required in all quotes and amendments to quotes when N101 is code SE to identify the personal identification number of the quoting party.*

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use REF01	128	Reference Number Qualifier	M	ID 2/2
		Code qualifying the Reference Number.		
		EL Electronic device pin number		
		<i>Use to indicate the identification number assigned to the contractor at the time of registration. Use of this code is REQUIRED.</i>		
		ZF Contractor Establishment Code (CEC)		
		<i>Use only when N101 is code SE.</i>		
REF02	127	Reference Number	X	AN 1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.		

Segment: PER Administrative Communications Contact**Position:** 360**Loop:** N1**Level:** Heading**Usage:** Optional**Max Use:** >1**Purpose:** To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
 - 2 If either PER05 or PER06 is present, then the other is required.
 - 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:**Comments:**

Notes: 1. Use this segment to provide the names and titles of individuals associated with the entity cited in the same N1 loop.

2. When BQR01 is code 00 and N1 is code SE, this segment is REQUIRED.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	M ID 2/2
Must Use PER01	366 Contact Function Code	
	Code identifying the major duty or responsibility of the person or group named	
	<i>Use to identify various individuals within the offeror's organization.</i>	
	AA Authorized Representative	
	<i>Use to indicate the person authorized by the offeror to contractually and legally bind the entity.</i>	
	AF Authorized Financial Contact	
	<i>Use to identify the individual in the offeror's company who is responsible for cost and price data.</i>	
	BD Buyer Name or Department	
	CE Certifier	
	IC Information Contact	
	KA Authorized Negotiator	
	ME Manufacturing	
	<i>Use to indicate the manufacturing point of contact.</i>	
	PP Program Manager	
	SI Investigator	
	<i>Use this code for research and development type of work to indicate who the principal investigator is for your company.</i>	
	SU Supplier Contact	
	<i>Use to indicate a contact within the offeror's</i>	

organization.

Must Use	PER02	93	Name	O	AN	1/35
			Free-form name			
			<i>Cite last name first, followed by first name. If the whole name is longer than 35 characters, truncate or use initials for the first name. If necessary, use PER09 to cite the party's title.</i>			
Must Use	PER03	365	Communication Number Qualifier	X	ID	2/2
			Code identifying the type of communication number			
			AU Defense Switched Network			
			EM Electronic Mail			
			FX Facsimile			
			IT International Telephone			
			<i>Include the country code.</i>			
			TE Telephone			
			<i>Use to indicate the commercial telephone number of the individual cited in PER02. Include the area code.</i>			
Must Use	PER04	364	Communication Number	X	AN	1/80
			Complete communications number including country or area code when applicable			
	PER05	365	Communication Number Qualifier	X	ID	2/2
			Code identifying the type of communication number			
			<i>Use to identify a second communications number for the party cited in PER02. For example, if PER03/04 cites a telephone number, PER05/06 could cite a FAX number.</i>			
			AU Defense Switched Network			
			EM Electronic Mail			
			EX Telephone Extension			
			<i>Use, if applicable, to provide an extension number when PER03 is code TE.</i>			
			FX Facsimile			
			IT International Telephone			
			<i>Include the country code.</i>			
			TE Telephone			
			<i>Use to indicate the commercial telephone number of the individual cited in PER02. Include the area code.</i>			
	PER06	364	Communication Number	X	AN	1/80
			Complete communications number including country or area code when applicable			
	PER07	365	Communication Number Qualifier	X	ID	2/2
			Code identifying the type of communication number			
			<i>Use to identify a third communications number for the party cited in PER02.</i>			

AU Defense Switched Network

EM Electronic Mail

FX Facsimile

IT International Telephone

Include the country code.

TE Telephone

Use to indicate the commercial telephone number of the individual cited in PER02. Include the area code.

PER08 364 Communication Number X AN 1/80

Complete communications number including country or area code when applicable

PER09 443 Contact Inquiry Reference O AN 1/20

Additional reference number or description to clarify a contact number

1. Use, if necessary, to provide the title of the individual cited in PER02.

2. This data element is REQUIRED when PER01 is code AA, CE, or KA.

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	390
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.
Notes:	<ol style="list-style-type: none"> 1. Use this 1/TD5/390 segment when the transportation method is the same for all of the line items being shipped to a named entity. If the transportation method varies by line item, use the 2/TD5/250 segment or the 2/TD5/500 segment when the information is applicable to a named entity. 2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	ID
TD504	91 Transportation Method/Type Code	X ID 1/2
	Code specifying the method or type of transportation for the shipment	
	1. Use any code.	
	2. An application program conversion table may be required to convert agency codes to X12 codes.	
	D Parcel Post	
	Use to indicate the US Postal Service and not a private carrier.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
TD512	284 Service Level Code	X ID 2/2
	Code defining service	
	Use any code.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	

Segment: **TD4** Carrier Details (Special Handling, or Hazardous Materials, or Both)

Position: 410

Loop: N1

Level: Heading

Usage: Optional

Max Use: 5

Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes: 1 At least one of TD401 TD402 or TD404 is required.
2 If TD402 is present, then TD403 is required.

Semantic Notes:

Comments:

Notes: 1. Use this 1/TD4/410 segment to identify special handling or hazardous material information that is the same for all of the line items applicable to a named entity. If this information varies by line item, use the 2/TD4/270 segment or the 2/TD4/520 segment if the information is applicable to a named entity.

2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD401	152	Special Handling Code	X ID 2/3
		Code specifying special transportation handling instructions	
		<i>Any code may be used but the listed codes are preferred.</i>	
		<i>AMM A.M. Delivery Requirement</i>	
		<i>DA Dangerous</i>	
		<i>EX Explosive Flammable Gas</i>	
		<i>FG Flammable Gas</i>	
		<i>FL Flammable</i>	
		<i>FP Flammable Poison Gas</i>	
		<i>HM Endorsed as Hazardous Material</i>	
		<i>LT Less Than Full Carload</i>	
		<i>LTT Less Than Truckload</i>	
		<i>PG Poisonous Gas</i>	
		<i>PMM P.M. Delivery Requirement</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
TD402	208	Hazardous Material Code Qualifier	X ID 1/1
		Code which qualifies the Hazardous Material Class Code (209)	
		<i>Use any code.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
TD403	209	Hazardous Material Class Code	X AN 2/4
		Code specifying the kind of hazard for a material	
TD404	352	Description	X AN 1/80

A free-form description to clarify the related data elements and their content

Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

Segment:	PKG Marking, Packaging, Loading
Position:	420
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	25
Purpose:	To describe marking, packaging, loading, and unloading requirements
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of PKG04 PKG05 or PKG06 is required. 2 If PKG04 is present, then PKG03 is required. 3 If PKG05 is present, then PKG01 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 PKG04 should be used for industry-specific packaging description codes.
Comments:	<ol style="list-style-type: none"> 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc. 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used. 3 Use PKG03 to indicate the organization that publishes the code list being referred to. 4 Special marking or tagging data can be given in PKG05 (description).
Notes:	<ol style="list-style-type: none"> 1. Use this 1/PKG/420 segment when the packaging requirements are the same for all the line items to be delivered to a named entity. If the packaging requirements vary by line item, use the 2/PKG/080 segment or the 2/PKG/530 segment if the packaging requirements are applicable to a named entity. 2. Packaging information such as the number of items in a unit container, the number of unit containers in an intermediate container, and the gross weight, cube, and dimensions of a unit container or an intermediate container is carried in the 2/PO4/090 segment. 3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	X ID 1/1
PKG01	349 Item Description Type	
	Code indicating the format of a description	
	F Free-form	
	S Structured (From Industry Code List)	
	X Semi-structured (Code and Text)	
PKG02	753 Packaging Characteristic Code	O ID 1/5
	Code specifying the marking, packaging, loading and related characteristics being described	
	<i>Use the listed codes to identify the applicable packaging requirements.</i>	
	CD Cleaning or Drying Procedure	
	CT Cushioning Thickness	
	CUD Cushioning and Dunnage	

		HM	Hazardous Material		
		IC	Intermediate Container		
		LP	Level Of Preservation		
		OPI	Optional Procedure Indicator		
		PK	Packing		
			<i>When the packing code associated with this Packaging Characteristic Code is a three position code; the first position signifies Level A packing for overseas shipments via surface; the second position signifies Level B packing for overseas shipments via freight forwarder, APO/FPO, or air; the third position signifies Level C packing for domestic shipments. When standard commercial packaging per ASTM D3951 is being proposed, cite MIL-STD 2073-2C code X in PKG04.</i>		
		PM	Preservation Method		
		PML	Preservation Material		
		SMK	Special Marking		
		UC	Unit Container		
		UCL	Unit Container Level		
		WM	Wrapping Material		
PKG03	559	Agency Qualifier Code		X	ID 2/2
		Code identifying the agency assigning the code values			
		DF	Department of Defense (DoD)		
		GS	General Services Administration (GSA)		
		ZZ	Mutually Defined		
			<i>Use to indicate a federal activity other than DoD or GSA. Data maintenance has been submitted to ASC X12 requesting a code for Federal Government. If approved, we expect the code will be available for use in ASC X12 Version/Release 3060.</i>		
PKG04	754	Packaging Description Code		X	AN 1/7
		A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product			
		<i>The actual codes associated with the packaging characteristic codes cited in PKG02 can be found in ASC X12 Code Source List 197 (which is MIL-STD-2073-2C).</i>			
PKG05	352	Description		X	AN 1/80
		A free-form description to clarify the related data elements and their content			
		<i>1. When PKG04 carries a code indicating that the item will be packed differently than required in the solicitation, use to provide an explanation.</i>			
		<i>2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.</i>			

Segment:	PO1	Baseline Item Data
Position:	010	
Loop:	PO1	
Level:	Detail	
Usage:	Optional	
Max Use:	1	
Purpose:	To specify basic and most frequently used line item data	
Syntax Notes:	<ol style="list-style-type: none"> 1 If PO103 is present, then PO102 is required. 2 If PO105 is present, then PO104 is required. 3 If either PO106 or PO107 is present, then the other is required. 4 If either PO108 or PO109 is present, then the other is required. 5 If either PO110 or PO111 is present, then the other is required. 6 If either PO112 or PO113 is present, then the other is required. 7 If either PO114 or PO115 is present, then the other is required. 8 If either PO116 or PO117 is present, then the other is required. 9 If either PO118 or PO119 is present, then the other is required. 10 If either PO120 or PO121 is present, then the other is required. 11 If either PO122 or PO123 is present, then the other is required. 12 If either PO124 or PO125 is present, then the other is required. 	
Semantic Notes:		
Comments:	<ol style="list-style-type: none"> 1 See the Data Dictionary for a complete list of ID's. 2 PO101 is the line item identification. 3 PO106 through PO125 provide for ten (10) different product/service ID's per each item. For example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU. 	
Notes:	<p>1. If the quote is for the exact item and quantity as specified in the solicitation, PO101, PO104, and PO105 if one of the listed codes is cited, is all that is required. Other data elements may be used, as necessary, to provide any additional information the offeror feels is essential to the quote.</p> <p>2. When BQR06 is code AB, PO106 is REQUIRED using codes FS, MF, MG, PW or ZB, as necessary, to adequately describe the item and provide information regarding the item, manufacturer and design control source.</p>	

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
PO101	350 Assigned Identification	O AN 1/11
	Alphanumeric characters assigned for differentiation within a transaction set	
	<i>To identify the item being quoted or to which changes are being proposed, this data element must contain whatever numeric or alpha characters that were provided in the solicitation.</i>	
PO102	330 Quantity Ordered	X R 1/9
	Quantity ordered	
	<i>Use to identify the quantity being quoted only if the quantity differs from</i>	

		<i>the solicited quantity. Use the PO3 segment to explain.</i>	
PO103	355	Unit or Basis for Measurement Code	O ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
		<i>1. Use any code.</i>	
		<i>2. An application program conversion table may be required to convert agency codes to X12 codes.</i>	
		<i>SX Shipment</i>	
		<i>Use when PO101 is a CLIN for transportation charges.</i>	
		<i>ZZ Mutually Defines</i>	
		<i>Use to indicate a Task or Job.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
PO104	212	Unit Price	X R 1/17
		Price per unit of product, service, commodity, etc.	
		<i>1. Cite the unit price for the line item except when PO105 is code PQ. In that instance, cite the total price for the line item.</i>	
		<i>2. If a discount is applicable to the line item, cite the discounted price.</i>	
		<i>3. When PO105 is either code NC or NS, enter the number 0.</i>	
PO105	639	Basis of Unit Price Code	O ID 2/2
		Code identifying the type of unit price for an item	
		<i>Use only if necessary to provide the basis of the quoted price.</i>	
		CA	Catalog
		ES	Estimated
		FB	Fabrication Cost
		<i>Use to indicate the price includes the incorporation of GFE, GFM, or GFP.</i>	
		KA	Price with Government Furnished Property
		<i>Use to indicate the price of the items includes the use of GFP, GFE, or GFM to manufacture the item.</i>	
		NC	No Charge
		<i>Use to indicate this is a no cost item.</i>	
		NE	Not to Exceed
		NS	Not Separately Priced
		<i>Use to indicate the item is not separately priced but is included in the price of the item to which it pertains.</i>	
		PQ	Posted
		<i>Use to indicate the price cited in PO104 is a total price for the line item rather than a unit price.</i>	
		TB	To be negotiated.

PO106	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		1. <i>PO106 through PO125 are used in pairs. For example, PO106 contains a qualifier code and PO107 contains the data related to the code.</i>			
		2. <i>If an equal or substitute items is being quoted, as a minimum, include the National Stock Number, the Manufacturer's Part Number (to indicate who has design control) and Manufacturer (if other than the bidder). In addition, provide the address of the entity who controls the design or who is manufacturing the item in the 2/N1/420 loop.</i>			
		3. <i>Any code may be used but the listed codes are preferred.</i>			
		<i>A8 Exhibit Line Item Number</i>			
		<i>AK Refined Product Code</i>			
		<i>CG Commodity Grouping</i>			
		<i>Use to indicate a commodity code.</i>			
		<i>CH Country of Origin Code</i>			
		<i>CL Color</i>			
		<i>CN Commodity Name</i>			
		<i>FS National Stock Number</i>			
		<i>Use of this code is required when BQR06 is code AB and the alternate or substitute item has an NSN. The NSN shall be transmitted without dashes.</i>			
		<i>FT Federal Supply Classification</i>			
		<i>See ASC X12 Code Source List 27 for the FSCs associated with this code.</i>			
		<i>KF Item Type Number</i>			
		<i>LT Lot Number</i>			
		<i>N1 National Drug Code in 4-4-2 Format</i>			
		<i>N2 National Drug Code in 5-3-2 Format</i>			
		<i>N3 National Drug Code in 5-4-1 Format</i>			
		<i>N4 National Drug Code in 5-4-2 Format</i>			
		<i>ND National Drug Code (NDC)</i>			
		<i>MF Manufacturer</i>			
		<i>When an alternate product is offered, use to indicate the manufacturer of the item if other than the quoting party. When used, cite the DUNS number of the manufacturer in the following 234 data element.</i>			
		<i>MG Manufacturer's Part Number</i>			
		<i>Use of this code is required if BQR06 is code AB and the alternate or substitute item does not have an NSN. When used, a second 235/234 pair must be used citing either code MF or ZB in data element 235.</i>			
		<i>MN Model Number</i>			
		<i>PD Part Number Description</i>			
		<i>Use to indicate a clear text description of an item that cannot be identified by a number, e.g., transportation.</i>			
		<i>PN Company Part Number</i>			
		<i>PU Part Reference Number</i>			
		<i>Use to indicate a part number assigned by an industry (not related to a specific manufacturer). Do not use for National Drug Codes.</i>			

*PW Part Drawing**Use of this code is required when BQR06 is code AB.**SN Serial Number**SR Substitute Product Number**SW Stock Number**Use to indicate a local stock number**SZ Vendor Alphanumeric Size Code (NRMA)**Use to indicate the size of an item.**UK U.P.C./EAN Shipping Container Code (1-2-5-5-1)**VP Vendor's (Seller's) Part Number**Use to indicate a part number assigned by a selling party other than the manufacturer.**ZB Commercial and Government Entity (CAGE) Code**When an alternate product is offered, use to indicate the manufacturer of an item if other than the quoting party. Use of this code or code MF is required when an alternate product is offered.*

Refer to 003050 Data Element Dictionary for acceptable code values.

PO107	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO108	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO109	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO110	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO111	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO112	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO113	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO114	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO115	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO116	235	Product/Service ID Qualifier	X	ID	2/2

		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO117	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO118	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO119	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO120	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO121	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO122	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO123	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			
PO124	235	Product/Service ID Qualifier	X	ID	2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO125	234	Product/Service ID	X	AN	1/40
		Identifying number for a product or service			

Segment: PO3 Additional Item Detail**Position:** 030**Loop:** PO1**Level:** Detail**Usage:** Optional**Max Use:** 25**Purpose:** To specify additional item-related data involving variations in normal price/quantity structure**Syntax Notes:** 1 If PO304 is present, then at least one of PO303 or PO305 is required.**Semantic Notes:****Comments:** 1 Some examples of price/quantity variations are: price in different units from the PO1 segment, price changes by date, or price changes by quantity (break and level).

2 PO307 defines the unit of measure for PO306.

Notes: Use this 2/PO3/030 segment, as necessary, to identify additional information regarding the item being quoted in the PO1 segment.**Data Element Summary**

Ref.	Data	Attributes
Des.	Element Name	M ID 2/2
Must Use PO301	371 Change Reason Code	
	Code specifying the reason for price or quantity change	
	1. Use to provide an explanation if the quantity or unit of measure being quoted is different than in the solicitation.	
	2. Use also to provide the alternate quantity and unit of measure being quoted if one was identified in the solicitation.	
	AQ Alternate Quantity and Unit of Measure	
	Use to indicate that an item has an alternate quantity and unit of measure (e.g., POC03/POC05 would cite 10,000 LB and PO306/07 could cite 10 SH. Both quantities and units of measure are applicable to the item being purchased - steel plates).	
	EV Estimated Quantity	
	Use to indicate the quantity quoted in PO102 is an estimate.	
	MC Pack/Size Measure Difference	
	MP Minimum Order	
	Use to indicate that a minimum order (either price or quantity) is being quoted.	
	PC Pack Difference	
	QH Quantity on Hand	
	QT Quantity Price Break	
	Use to indicate the quantity quoted, if different than solicited, represents a price break for the buying	

			<i>party.</i>			
		SC	Size Difference			
		UM	Unit of Measure Difference			
PO303	236	Price Identifier Code		X	ID	3/3
		Code identifying pricing specification				
		<i>Use any code.</i>				
		Refer to 003050 Data Element Dictionary for acceptable code values.				
PO304	212	Unit Price		O	R	1/17
		Price per unit of product, service, commodity, etc.				
PO305	639	Basis of Unit Price Code		X	ID	2/2
		Code identifying the type of unit price for an item				
		<i>Use any code.</i>				
		Refer to 003050 Data Element Dictionary for acceptable code values.				
Must Use PO306	380	Quantity		M	R	1/15
		Numeric value of quantity				
		<i>Due to the mandatory nature of this data element, when PO301 is code EV, MC, MP, PC, QH, QT, SC, or UM, repeat the quantity cited in PO102.</i>				
Must Use PO307	355	Unit or Basis for Measurement Code		M	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<i>1. Use any code.</i>				
		<i>2. Due to the mandatory nature of this data element, when PO301 is code EV, MC, MP, PC, QH, QT, SC, or UM, repeat the unit of measure cited in PO103.</i>				
		<i>3. An application program conversion table may be required to convert agency codes to X12 codes.</i>				
		Refer to 003050 Data Element Dictionary for acceptable code values.				

Segment:	CTP Pricing Information
Position:	040
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify pricing information
Syntax Notes:	<ol style="list-style-type: none"> 1 If either CTP04 or CTP05 is present, then the other is required. 2 If CTP06 is present, then CTP07 is required. 3 If CTP09 is present, then CTP02 is required. 4 If CTP10 is present, then CTP02 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of .90 would be the factor if a 10% discount is given. 2 CTP08 is the rebate amount.
Comments:	<ol style="list-style-type: none"> 1 See Figures Appendix for an example detailing the use of CTP03 and CTP04. See Figures Appendix for an example detailing the use of CTP03, CTP04 and CTP07.
Notes:	<ol style="list-style-type: none"> 1. Use this segment to provide pricing information requested in the solicitation or to provide additional prices related to the line item, e.g., prepaid transportation charges. 2. Example of step ladder quantity prices for quantities 1-10, 11-20, 21-30, and 31-50: CTP**PBQ**1*EA n/l CTP**ICL*25.00*10*EA n/l CTP**ICL*24.50*20*EA n/l CTP**ICL*23.50*30*EA n/l CTP**MAX*22.00*50*EA n/l

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>X</u> <u>ID</u> <u>3/3</u>
CTP02	236 Price Identifier Code	
	Code identifying pricing specification	
	Any code may be used to provide information regarding the pricing of an item.	
	<i>ALT Alternate Price</i>	
	Use to indicate a lease-to-purchase price. A request has been submitted to ASC X12 to add a code for Lease-to-Purchase Price. If approved, we expect the code will be available for use in the ASC X12 Version/Release 3060	
	<i>CAT Catalog Price</i>	
	Use to indicate catalog price if PO104 is not the quoting party's catalog price and the solicitation requested the bidder to identify the catalog price.	

ICL Unit Price Through Quantity

When providing prices for different quantities, use to indicate the end of a quantity range.

MAX Maximum Order Quantity Price

When providing prices for different quantities, use to indicate the quantity above which the price will not change.

PAP Protection Level Price

Use to indicate the price for the packaging protection level cited in CTP10.

PAQ Price Break Quantity(s)

Use to provide the price break quantities as requested in the solicitation.

PBQ Unit Price Beginning Quantity

When providing prices for different quantities, use to indicate the beginning of a quantity range.

PPA Packing Level Price

Use to provide the price for the packing level cited in CTP10.

PUR Purchase

Use to indicate the price when it is less costly to replace than to repair.

ZNP Zone Price Code

Use to indicate the price for delivery to the zone cited in CTP10.

Refer to 003050 Data Element Dictionary for acceptable code values.

CTP03	212	Unit Price	O R	1/17
		Price per unit of product, service, commodity, etc.		
CTP04	380	Quantity	X R	1/15
		Numeric value of quantity		
CTP05	355	Unit or Basis for Measurement Code	X ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
		1. Use any code.		
		2. An application program conversion table may be required to convert agency codes to X12 codes.		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
CTP10	499	Condition Value	O AN	1/10
		Identifies rate restrictions or provisions		
		When CTP02 is code PAP, PPA, or ZNP, cite the applicable protection level, packing level or zone to which the price in CTP03 applies.		

Segment:	MEA Measurements
Position:	049
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	40
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required. 2 If MEA05 is present, then MEA04 is required. 3 If MEA06 is present, then MEA04 is required. 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required. 5 Only one of MEA08 or MEA03 may be present.
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.
Notes:	<p>1. Use this 2/MEA/049 segment to provide information that applies to a specific line item. Use the 1/MEA/200 segment to provide information that applies to all of the line items.</p> <p>2. This segment can be used to specify the variations in quantity permitted; and for a requirements or an indefinite quantity type procurement instrument, the minimum/maximum quantity per order, the maximum that may be ordered during a specified time period, and the minimum and maximum obligations of the government and the contractor.</p> <p>3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.</p>

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>O</u> <u>ID</u> <u>2/2</u>
MEA01	737 Measurement Reference ID Code	
	Code identifying the broad category to which a measurement applies <i>Use any code.</i>	
	<i>BT Batch Limits</i> Use to indicate the minimum and maximum limits of the government's obligation to order either in terms of dollars or quantity under a requirements or indefinite quantity type award instrument, a task order or a delivery order depending on the code cited in BQT06 of the 840 solicitation. Use MEA04-C00101 to identify the unit of measure (dollars, each, etc.) and use MEA05/06 to specify the minimum and maximum.	
	<i>CT Counts</i> Use to indicate variations in quantity when it is expressed as a discrete quantity. Specify the quantity under and/or over in MEA05/06.	

DE Defects

Use to indicate a warranty period.

LT Lot Limits

Use to indicate the minimum and maximum limits of the contractor's obligation either in terms of dollars or quantity to deliver under a requirements or an indefinite quantity type award instrument. Do not use for a purchase order or delivery order. Use MEA04-C00101 to identify the unit of measure (dollars, each, etc.) and use MEA05/06 to specify the minimum and maximum.

OL Order Limits

Use to indicate the maximum that the government may order from a requirements or an indefinite quantity type award instrument in a specified time period. Do not use for a purchase order or delivery order. Use MEA03 to identify the quantity, MEA04-C00101 to identify the unit of measure, and MEA04-C00104 to identify the time period.

PM Permitted

Use to indicate the minimum and maximum quantity or dollars that are permitted per order against a requirements or an indefinite quantity type award instrument. Use MEA04-C00101 to identify the unit of measure (dollars, each, etc.) and use MEA05/06 to specify the minimum and maximum.

Refer to 003050 Data Element Dictionary for acceptable code values.

MEA02 738 Measurement Qualifier O ID 1/3

Code identifying a specific product or process characteristic to which a measurement applies

Use any code.

MX Maximum

When MEA01 is code OL, use to indicate the maximum amount that can be ordered in a specified period of time.

PO Percent of Order (-, +)

Use to indicate the variation of quantity permitted when it is expressed as a percent of the quantity ordered. Specify the percent under and/or over in MEA05/06.

RY Ratio

Use to indicate the proposed share ratio for an incentive or cost sharing contract. Identify the proposed Government share in MEA05 and the proposed contractor share in MEA06.

TT Time

Use to indicate the length of a warranty period. Specify the number of days, weeks, months or years in MEA03 and the time period in MEA04-C00101.

			Refer to 003050 Data Element Dictionary for acceptable code values.			
MEA03	739	Measurement Value		X	R	1/20
		The value of the measurement				
MEA04	C001	Composite Unit of Measure		X		
		To identify a composite unit of measure (See Figures Appendix for examples of use)				
		<i>1. This composite unit of measure can be used to indicate the maximum that may be ordered during a specified period of time under a requirements or an indefinite quantity type award instrument.</i>				
		<i>2. For example: If the maximum that can be ordered per quarter is 10,000 each, then MEA01 would cite code OL, MEA02 would cite code MX, MEA03 would cite 10,000, MEA04-C00101 would cite code EA and MEA04-C00104 would cite code Q1.</i>				
Must Use	C00101	355	Unit or Basis for Measurement Code	M	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<i>1. Use any code.</i>				
		<i>2. An application program conversion table may be required to convert agency codes to X12 codes.</i>				
		Refer to 003050 Data Element Dictionary for acceptable code values.				
C00104	355	Unit or Basis for Measurement Code		O	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<i>1. Use any code.</i>				
		<i>2. An application program conversion table may be required to convert agency codes to X12 codes.</i>				
		Refer to 003050 Data Element Dictionary for acceptable code values.				
MEA05	740	Range Minimum		X	R	1/20
		The value specifying the minimum of the measurement range				
		<i>1. When MEA01 is code CT or MEA02 is code PO, use to specify the variation in quantity under.</i>				
		<i>2. When MEA02 is RY, use to specify the proposed Government share.</i>				
		<i>3. When MEA01 is code BT, LT, or PM, use to specify the minimum amount or quantity.</i>				
		<i>4. Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).</i>				
MEA06	741	Range Maximum		X	R	1/20
		The value specifying the maximum of the measurement range				
		<i>1. When MEA01 is code CT or MEA02 is code PO, use to specify the variation in quantity over.</i>				

- 2. When MEA02 is RY, use to specify the proposed contractor share.*
- 3. When MEA01 is code BT, LT, or PM, use to specify the maximum amount or quantity.*
- 4. Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).*

Segment:	PID Product/Item Description
Position:	050
Loop:	PID
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To describe a product or process in coded or free-form format
Syntax Notes:	<ol style="list-style-type: none"> 1 If PID04 is present, then PID03 is required. 2 At least one of PID04 or PID05 is required. 3 If PID07 is present, then PID03 is required. 4 If PID08 is present, then PID03 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 Use PID03 to indicate the organization that publishes the code list being referred to. 2 PID04 should be used for industry-specific product description codes. 3 PID08 describes the physical characteristics of the product identified in PID04. A ``Y" indicates that the specified attribute applies to this item. A ``N" indicates it does not apply. Any other value is indeterminate.
Comments:	<ol style="list-style-type: none"> 1 If PID01 = ``F", then PID05 is used. If PID01 = ``S", then PID04 is used. If PID01 = ``X", then both PID04 and PID05 are used. 2 Use PID06 when necessary to refer to the product surface or layer being described in the segment. 3 PID07 specifies the individual code list of the agency specified in PID03.
Notes:	<i>Use this segment ONLY if it is necessary to further describe a line item specified in PO101.</i>

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	PID01	349 Item Description Type	M ID 1/1
		Code indicating the format of a description	
		F Free-form	
		S Structured (From Industry Code List)	
		X Semi-structured (Code and Text)	
PID02	750	Product/Process Characteristic Code	O ID 2/3
		Code identifying the general class of a product or process characteristic	
		MAC Material Classification	
		<i>Use to indicate the item cited in the same PO1 loop is a surplus item.</i>	
PID03	559	Agency Qualifier Code	X ID 2/2
		Code identifying the agency assigning the code values	
		ZZ Mutually Defined	
		<i>Use to indicate the Federal Government. A request has been submitted to ASC X12 to add a code for Federal Government. If approved, we expect the code will be available for use in the ASC X12</i>	

Version/Release 3060.

PID04	751	Product Description Code	X	AN	1/12
		A code from an industry code list which provides specific data about a product characteristic			
		<i>When PID02 is code MAC, cite the classification of the item using the following: Cite the letter "N" for new/unused, cite the letter "R" for new/reconditioned, cite the letter "M" for new/modified, or cite the letter "O" for used/overhauled.</i>			
PID05	352	Description	X	AN	1/80
		A free-form description to clarify the related data elements and their content			
		<i>1. Use, only if necessary, to provide additional information applicable to a line item.</i>			
		<i>2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.</i>			

Segment: **PWK** Paperwork

Position: 070

Loop: PO1

Level: Detail

Usage: Optional

Max Use: 25

Purpose: To identify the type and transmission of paperwork or supporting information

Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.

Semantic Notes:

Comments:

- 1 PWK05 and PWK06 may be used to identify the addressee by a code number.
- 2 PWK07 may be used to indicate special information to be shown on the specified report.
- 3 PWK08 may be used to indicate action pertaining to a report.

Notes:

1. Use this 2/PWK/070 segment to provide paperwork information that applies to a specific line item. Use the 1/PWK/210 segment to specify paperwork that is applicable to all of the line items.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
Must Use PWK01	755	Report Type Code	M ID 2/2
		Code indicating the title or contents of a document, report or supporting item	
		<i>Use to identify the type of paperwork the offeror is providing.</i>	
	25	Purchase Plan	
		<i>Use to indicate a make or buy plan.</i>	
	35	Subcontractor Plan	
	AE	Attachment	
		<i>Use to indicate some additional type document is being provided by means other than within the transaction set. Specify the nature of the document in PWK07.</i>	
	C1	Cost Data Summary	
		<i>Use to indicate non-certified cost and price data.</i>	
	C5	Certified Cost and Price Data	
	C6	Wage Determination	
		<i>Use to indicate a Department of Labor Wage Determination.</i>	
	DW	Drawing(s)	
	IT	Certified Inspection and Test Results	
		<i>Use to indicate test results for a QBL, QML, or QPL item.</i>	

		MS	Material Safety Data Sheet		
		PJ	Purchasing Specification		
			<i>Use to indicate a Statement of Work.</i>		
		SD	Support Data for a Request for Quote		
			<i>Use to indicate that supporting technical documentation, e.g., technical proposal, etc. are being provided. Use of this code is required when BQR06 is code AB.</i>		
		TO	Demand Report		
			<i>Use to indicate a Contract Data Requirement List (CDRL) deliverable.</i>		
		UA	Union Agreement		
		US	"BUY AMERICA" Certification of Compliance		
PWK02	756	Report Transmission Code		O ID 1/2	
		Code defining timing, transmission method or format by which reports are to be sent			
		BE	By Mail and Electronically		
			<i>Use to indicate E-Mail</i>		
		BM	By Mail		
		CF	Courier		
		EL	Electronically Only		
			<i>Use to indicate Electronic Data Interchange (EDI)</i>		
		FX	By Fax		
PWK04	98	Entity Identifier Code		O ID 2/2	
		Code identifying an organizational entity, a physical location, or an individual			
		<i>Use to identify the party to whom the paperwork identified in PWK01 was sent. If there is more than one recipient of the same paperwork item, use multiple repetitions of the PWK segment with the same report code in PWK01. Provide the address of the recipient in either the 1/N1/310 or 2/N1/420 segment and/or the communications number of the recipient in either the 1/PER/360 or 2/PER/470 segment.</i>			
		BY	Buying Party (Purchaser)		
			<i>Use to indicate the contracting officer.</i>		
		IS	Party to Receive Certified Inspection Report		
			<i>Use when PWK01 is code IT.</i>		
		KF	Audit Office		
		KG	Project Manager		
			<i>Use to indicate the party responsible for a project to include the Advisor under a Grant.</i>		
		KY	Technical Office		
PWK07	352	Description		O AN 1/80	
		A free-form description to clarify the related data elements and their			

content

1. Use, only if necessary, to identify additional information related to a specific paperwork item.

2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

	PWK08	C002	Actions Indicated	O
			Actions to be performed on the piece of paperwork identified	
Must Use	C00201	704	Paperwork/Report Action Code	M ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required	
			<i>Use to indicate the specified paperwork will be or is being provided by the offeror.</i>	
			PV	Provided

Segment:	PKG Marking, Packaging, Loading
Position:	080
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	25
Purpose:	To describe marking, packaging, loading, and unloading requirements
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of PKG04 PKG05 or PKG06 is required. 2 If PKG04 is present, then PKG03 is required. 3 If PKG05 is present, then PKG01 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 PKG04 should be used for industry-specific packaging description codes.
Comments:	<ol style="list-style-type: none"> 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc. 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used. 3 Use PKG03 to indicate the organization that publishes the code list being referred to. 4 Special marking or tagging data can be given in PKG05 (description).
Notes:	<ol style="list-style-type: none"> 1. Use this 2/PKG/080 segment if the packaging requirements apply to a specific line item. Use the 2/PKG/530 segment if the packaging requirements apply to a named entity. 2. Packaging information such as the number of items in a unit container, the number of unit containers in an intermediate container, and the gross weight, cube, and dimensions of a unit container or an intermediate container is carried in the 2/PO4/090 segment. 3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>X</u> <u>ID</u> <u>1/1</u>
PKG01	349 Item Description Type	
	Code indicating the format of a description	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
PKG02	753 Packaging Characteristic Code	O ID 1/5
	Code specifying the marking, packaging, loading and related characteristics being described	
	<i>Use the listed codes to identify applicable packaging requirements.</i>	
	CD Cleaning or Drying Procedure	
	CT Cushioning Thickness	
	CUD Cushioning and Dunnage	
	HM Hazardous Material	
	IC Intermediate Container	

		LP	Level Of Preservation			
		OPI	Optional Procedure Indicator			
		PK	Packing			
			<i>When the packing code associated with this Packaging Characteristic Code is a three position code; the first position signifies Level A packing for overseas shipments via surface; the second position signifies Level B packing for overseas shipments via freight forwarder, APO/FPO, or air; the third position signifies Level C packing for domestic shipments. When standard commercial packaging per ASTM D3951 is being proposed, cite MIL-STD 2073-2C code X in PKG04.</i>			
		PM	Preservation Method			
		PML	Preservation Material			
		SMK	Special Marking			
		UC	Unit Container			
		UCL	Unit Container Level			
		WM	Wrapping Material			
PKG03	559	Agency Qualifier Code		X	ID	2/2
		Code identifying the agency assigning the code values				
		DF	Department of Defense (DoD)			
		GS	General Services Administration (GSA)			
		ZZ	Mutually Defined			
			<i>Use to indicate a federal activity other than DoD or GSA. Data maintenance has been submitted to ASC X12 requesting a code for Federal Government. If approved, we expect the code will be available for use in ASC X12 Version/Release 3060.</i>			
PKG04	754	Packaging Description Code		X	AN	1/7
		A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product				
		<i>The actual codes associated with the packaging characteristic codes cited in PKG02 can be found in ASC X12 Code Source List 197 (which is MIL-STD-2073-2C).</i>				
PKG05	352	Description		X	AN	1/80
		A free-form description to clarify the related data elements and their content				
		<i>1. When PKG04 carries a code indicating that the item will be packed differently than required in the solicitation, use to provide an explanation.</i>				
		<i>2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.</i>				

Segment: PO4 Item Physical Details**Position:** 090**Loop:** PO1**Level:** Detail**Usage:** Optional**Max Use:** >1**Purpose:** To specify the physical qualities, packaging, weights, and dimensions relating to the item

- Syntax Notes:**
- 1 If either PO402 or PO403 is present, then the other is required.
 - 2 If PO405 is present, then PO406 is required.
 - 3 If either PO406 or PO407 is present, then the other is required.
 - 4 If either PO408 or PO409 is present, then the other is required.
 - 5 If PO410 is present, then PO413 is required.
 - 6 If PO411 is present, then PO413 is required.
 - 7 If PO412 is present, then PO413 is required.
 - 8 If PO413 is present, then at least one of PO410 PO411 or PO412 is required.

Semantic Notes:

- Comments:**
- 1 PO403 - The "Unit of Measure Code" (Element #355) in this segment position is for purposes of defining the pack (PO401) /size (PO402) measure which indicates the quantity in the inner pack unit. Example: If the carton contains 24 12-Ounce packages, it would be described as follows: Element 356 = 24; Element 357 = 12; Element 355 = OZ.
 - 2 PO413 defines the unit of measure for PO410, PO411, and PO412.

- Notes:**
1. Use this segment to specify the weight, cube or dimensions of the unit or intermediate pack; the unit pack quantity or intermediate container quantity; to indicate palletized loads or shrink wrap. To specify the unit pack quantity, use PO401, PO403, and PO404 (code UNT). If there are 50 pairs in a unit container, PO401 would cite 50, PO403 would cite code PR, and PO404 would cite code UNT. If it is necessary to specify not only the quantity of items in a unit container, but also the size and unit of measure of those items, use PO401, PO402, PO403, and PO404. In this instance, if there are 24, 12 oz bottles in the unit container, PO401 would cite 24, PO402 would cite 12, PO403 would cite code OZ, and PO404 would cite code UNT. In either of these examples, the number of unit containers in an intermediate container would be carried in PO414. If only the quantity per unit container is required, use code INT in PO404 and cite the quantity in PO414.

2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
PO401	356	Pack	O N0 1/6
		Number of inner pack units per outer pack unit	
		1. Use to identify the unit pack quantity.	

		2. Cite the number 777777 to indicate a bulk quantity (MIL-STD 2073-2C code BLK).			
PO402	357	Size	X	R	1/8
		Size of supplier units in pack			
		Use only to identify the size of the individual items within a unit container.			
PO403	355	Unit or Basis for Measurement Code	X	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
		1. Use any code.			
		2. An application program conversion table may be required to convert agency codes to X12 codes.			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO404	103	Packaging Code	O	AN	3/5
		Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material			
		INT Intermediate Container			
		PAF Pallet - 4 Way			
		PAT Pallet - 2 Way			
		SRW Shrink Wrap			
		UNT Unit			
		Used to indicate the unit container.			
PO405	187	Weight Qualifier	O	ID	1/2
		Code defining the type of weight			
		Use any code.			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO406	384	Gross Weight per Pack	X	R	1/9
		Numeric value of gross weight per pack			
		Use this data element to specify the weight of a container. The weight shall be provided to 1 decimal place.			
PO407	355	Unit or Basis for Measurement Code	X	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
		1. Use any code.			
		2. An application program conversion table may be required to convert agency codes to X12 codes.			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
PO408	385	Gross Volume per Pack	X	R	1/9
		Numeric value of gross volume per pack			
		Use this data element to specify the cube of a container. The cube shall be provided to 3 decimal places.			
PO409	355	Unit or Basis for Measurement Code	X	ID	2/2

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

1. Use any code.

2. An application program conversion table may be required to convert agency codes to X12 codes.

Refer to 003050 Data Element Dictionary for acceptable code values.

PO410	82	Length	O R 1/8
--------------	-----------	---------------	----------------

Largest horizontal dimension of an object measured when the object is in the upright position

PO411	189	Width	O R 1/8
--------------	------------	--------------	----------------

Shorter measurement of the two horizontal dimensions measured with the object in the upright position

PO412	65	Height	O R 1/8
--------------	-----------	---------------	----------------

Vertical dimension of an object measured when the object is in the upright position

Use to specify the depth of a container.

PO413	355	Unit or Basis for Measurement Code	X ID 2/2
--------------	------------	---	-----------------

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

1. Use any code.

2. An application program conversion table may be required to convert agency codes to X12 codes.

Refer to 003050 Data Element Dictionary for acceptable code values.

PO414	810	Inner Pack	O N0 1/6
--------------	------------	-------------------	-----------------

Number of units in each selling pack

Use to specify the quantity of unit containers in an intermediate container.

Segment: **REF** Reference Numbers

Position: 100

Loop: PO1

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To specify identifying numbers.

Syntax Notes: 1 At least one of REF02 or REF03 is required.

Semantic Notes:

Comments:

Notes:

1. Use this 2/REF/100 segment to identify reference numbers that apply to a specific line item. Use the 1/REF/050 segment to identify reference numbers that apply to all of the line items.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data			Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>		
Must Use REF01	128	Reference Number Qualifier		M ID 2/2
		Code qualifying the Reference Number.		
		When codes CT or W6 are used, one iteration of the 2/DTM/200 segment is REQUIRED. Use code 036 (Expiration) in DTM01 and provide the expiration date of the cited schedule or contract in DTM02.		
	2Y	Wage Determination		
		Use to indicate a Department of Labor Wage Determination.		
	73	Statement of Work (SOW)		
		If a Statement of Work is part of the quote, the PWK segment can be used to indicate how the SOW is being provided.		
	97	Package Number		
	AH	Agreement Number		
		Use to indicate a Union Agreement Number.		
	C7	Contract Line Item Number		
	CH	Customer catalog number		
	CT	Contract Number		
		Use to indicate a contract or agreement other than a Federal Supply Schedule from which the quoted item can be ordered. Enter the contract number in REF02 and explain the nature of the contract in REF03 if necessary. The expiration date of the contract must be specified in the DTM segment.		
	DG	Drawing Number		

If a revision number and/or date must be cited for the drawing number, concatenate the revision number with the drawing number and provide the date in REF03.

IJ	Standard Industry Classification (SIC) Code <i>Use to indicate an exception is being taken to the Standard Industry Classification (SIC) code applicable to the solicitation. When used, the bidder should cite the SIC code considered appropriate.</i>
IX	Item Number <i>Use to indicate a Federal supply schedule (FSS) special item number.</i>
K6	Purchase Description
LT	Lot Number
LX	Qualified Products List <i>Use to indicate the Qualified Products List (QPL) number where the quoted item can be found.</i>
NI	Military Standard (MIL-STD) Number
P4	Project Code
QC	Product Specification Document Number
S2	Military Specification Number (MILSPEC)
S3	Specification Number <i>Use to indicate a specification number other than a MIL-SPEC. When used, identify the specification in REF03.</i>
TN	Transaction Reference Number <i>Use to indicate a unique reference number for a related transaction set.</i>
TP	Test Specification Number
VW	Standard <i>Use to indicate a standard other than a MIL-STD. When used, identify the standard in REF03.</i>
W6	Federal Supply Schedule Number <i>Use to indicate a Federal Supply Schedule in which the quoted item can be found and provide the Schedule number in REF02. The expiration date MUST be noted in the DTM segment.</i>
ZZ	Mutually Defined <i>Use to indicate another type of reference number. When used, identify the nature of the number in REF03.</i>

REF02	127	Reference Number	X AN 1/30
Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.			

If a document has a revision, the document number and the revision number should be concatenated and cited in this data element.

REF03 352 Description X AN 1/80

A free-form description to clarify the related data elements and their content

1. Use, if necessary, to carry additional information applicable to a reference number cited in REF02.

2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

Segment:	SAC Service, Promotion, Allowance, or Charge Information
Position:	130
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	25
Purpose:	To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of SAC02 or SAC03 is required. 2 If either SAC03 or SAC04 is present, then the other is required. 3 If either SAC06 or SAC07 is present, then the other is required. 4 If either SAC09 or SAC10 is present, then the other is required. 5 If SAC11 is present, then SAC10 is required. 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required. 7 If SAC14 is present, then SAC13 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required. 2 SAC05 is the total amount for the service, promotion, allowance, or charge. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence. 3 SAC08 is the allowance or charge rate per unit. 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge. 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used. 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
Comments:	<ol style="list-style-type: none"> 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02. 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to a "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.
Notes:	<i>Use this 2/SAC/130 segment to identify amounts and, if applicable, quantities, for services, allowances, or non-CLIN charges that apply to a specific line item. If the amounts and quantities for the services, allowances or non-CLIN charges apply to all of the line items, use the 1/SAC/120 segment.</i>

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	M ID 1/1
Must Use SAC01	248 Allowance or Charge Indicator	
	Code which indicates an allowance or charge for the service specified	
	C Charge	
	N No Allowance or Charge	

Use to indicate there is no charge for the service specified SAC02.

SAC02 1300 Service, Promotion, Allowance, or Charge Code X ID 4/4

Code identifying the service, promotion, allowance, or charge

1. Any code may be used but the listed codes are preferred.

2. As a minimum, the codes listed in the solicitation must be used to identify whether or not there is a charge.

B180 Cleaning Charge

B610 Container Service Charge USA/Canada

Use to indicate a reusable container.

B870 Customs Charge

C240 Disconnect Charge

C330 Distribution Fee

C370 Diversion Charge

C880 Expediting Premium

D500 Handling

D530 Hazardous Cargo Charge

D660 Hook-up charge

D820 Inside Delivery

D870 Inspection

D890 Installation and Training

D900 Installation

E340 Less Than Truckload (LTL) Charge

Use to indicate a charge for a less than carload or truckload delivery.

E400 Loading (Labor Charges)

F150 Packaging Service

F460 Postage

F560 Premium Transportation

F830 Proof of Delivery

Use to indicate a charge for the preparation of a DD Form 250.

G030 Reconnect charge

G350 Rents and Leases

G470 Restocking Charge

G530 Rework

G580 Royalties

G660 Scrap Allowance

G740 Service Charge

G760 Set-up

H170 Special Tooling Charge

H430 Storage

H540 Supplemental Items

Use to indicate the amount for Contractor Acquired Parts (CAP).

H550 Surcharge

H850 Tax

Use to indicate total taxes applicable to the line item amount that are included in the unit prices.

*H990 Testing Services Charge**I260 Transportation Direct Billing*

Use to indicate the amount for pre-paid transportation charges that will be added to an invoice.

*I380 Unloading (Labor Charges)**I590 Warranties*

Refer to 003050 Data Element Dictionary for acceptable code values.

SAC05	610	Amount	O	N2	1/15
		Monetary amount			
SAC06	378	Allowance/ Charge Percent Qualifier	X	ID	1/1
		Code indicating on what basis allowance or charge percent is calculated			
		<i>1. Use any code.</i>			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
SAC07	332	Percent	X	R	1/6
		Percent expressed as a percent			
		<i>Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).</i>			
SAC08	118	Rate	O	R	1/9
		Rate expressed in the standard monetary denomination for the currency specified			
SAC09	355	Unit or Basis for Measurement Code	X	ID	2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken			
		<i>An application program conversion table may be required to convert agency codes to X12 codes.</i>			
		Refer to 003050 Data Element Dictionary for acceptable code values.			
SAC10	380	Quantity	X	R	1/15
		Numeric value of quantity			
		<i>If applicable, use to identify the quantity to which the amount in SAC05 applies. SAC10/11 can be used together to specify a quantity range to which the amount in SAC05 applies.</i>			
SAC11	380	Quantity	O	R	1/15
		Numeric value of quantity			

Segment: **ITD** **Terms of Sale/Deferred Terms of Sale**

Position: 150

Loop: PO1

Level: Detail

Usage: Optional

Max Use: 2

Purpose: To specify terms of sale

Syntax Notes:

- 1 If ITD03 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 2 If ITD08 is present, then at least one of ITD04 ITD05 or ITD13 is required.
- 3 If ITD09 is present, then at least one of ITD10 or ITD11 is required.

Semantic Notes:

- 1 ITD15 is the percentage applied to a base amount used to determine a late payment charge.

Comments:

- 1 If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

Notes:

1. Use this 2/ITD/150 segment when a discount applies to individual line items. If the discount applies to all of the line items, use the 1/ITD/130 segment.
2. The Prompt Payment Act specifies payment terms as Net 30 unless an appropriate discount is applicable. Contractors do not need to cite net payment terms.

Data Element Summary

Ref.	Data			
Des.	Element	Name	Attributes	
ITD03	338	Terms Discount Percent	O	R 1/6
		Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date <i>Cite 4.25% as 4.25; cite 3% as 3 (note: leading and trailing zeros are suppressed).</i>		
ITD05	351	Terms Discount Days Due	X	N0 1/3
		Number of days in the terms discount period by which payment is due if terms discount is earned		

Segment: **DIS** Discount Detail

Position: 160

Loop: PO1

Level: Detail

Usage: Optional

Max Use: 20

Purpose: To specify the exact type and terms of various discount information

Syntax Notes:

Semantic Notes:

- 1 DIS05 is the minimum for application of the discount.
- 2 DIS06 is the maximum for application of the discount.

Comments:

Notes:

1. Use this 2/DIS/160 segment to identify volume discount information applicable to the line item that is based on the dollar value purchased.
2. Use the 2/N9/400 segment, with N901 citing code L1, and the 2/MSG/410, to specify other volume or promotional discounts that apply to a line item.

Data Element Summary

Ref.	Des.	Data Element	Name	Attributes
Must Use	DIS01	653	Discount Terms Type Code	M ID 3/3
			Code to define the units in which the discount will be determined, i.e., dollars, case, truckload, etc.	
			Refer to 003050 Data Element Dictionary for acceptable code values.	
Must Use	DIS02	654	Discount Base Qualifier	M ID 2/2
			Code to define unit of discount, i.e., dollars, cases, alternate products, etc.	
			Refer to 003050 Data Element Dictionary for acceptable code values.	
Must Use	DIS03	655	Discount Base Value	M R 1/10
			A multiplier amount used in conjunction with discount base qualifier to determine the value of the discount	
Must Use	DIS04	656	Discount Control Limit Qualifier	M ID 2/3
			Code to define the units of the limits for determining discount	
			Refer to 003050 Data Element Dictionary for acceptable code values.	
Must Use	DIS05	657	Discount Control Limit	M N0 1/10
			Amount or time associated with application of the discount	
	DIS06	657	Discount Control Limit	O N0 1/10
			Amount or time associated with application of the discount	

Segment:	FOB F.O.B. Related Instructions
Position:	180
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify transportation instructions relating to shipment
Syntax Notes:	<ol style="list-style-type: none"> 1 If FOB03 is present, then FOB02 is required. 2 If FOB04 is present, then FOB05 is required. 3 If FOB07 is present, then FOB06 is required. 4 If FOB08 is present, then FOB09 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 FOB01 indicates which party will pay the carrier. 2 FOB02 is the code specifying transportation responsibility location. 3 FOB06 is the code specifying the title passage location. 4 FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.
Comments:	
Notes:	<ol style="list-style-type: none"> 1. Use this 2/FOB/180 segment when the FOB point and acceptance location applies to a specific line item. Use the 1/FOB/080 segment to specify an FOB point and acceptance location that applies to all of the line items. 2. This segment is not used when the quote is for a service without deliverables or construction. 3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	M ID 2/2
Must Use FOB01	146 Shipment Method of Payment	
	Code identifying payment terms for transportation charges	
	BP Paid by Buyer	
	Use to indicate a Government Bill of Lading (GBL) will be issued.	
	PE Prepaid and Summary Bill	
	Use when transportation charges are to be prepaid by the seller, are not included in the unit price, and are to be invoiced periodically.	
	PP Prepaid (by Seller)	
	Use to indicate that transportation charges are not included in the unit price but are prepaid and are to be added as a separate item on this instrument's invoice. When used, if known, specify the cost in the SAC segment citing code I260 in SAC02.	

PS

Paid by Seller

Use to indicate transportation charges are included in the unit price.

FOB02	309	Location Qualifier	X	ID	1/2
-------	-----	--------------------	---	----	-----

Code identifying type of location

Use to indicate the FOB point.

DE	Destination (Shipping)
----	------------------------

FV	Free Alongside Vessel (Free On Board [F.O.B.] Point)
----	--

IT Intermediate FOB Point

Use to indicate the FOB point is a freight forwarder. Provide the address in the N1 loop, citing code IC in N101.

OR Origin (Shipping Point)

ZZ Mutually Defined

Use to indicate another FOB point, i.e., neither at origin nor at destination. Provide the address in the N1 loop, citing code KX in N101.

FOB06	309	Location Qualifier	X	ID	1/2
-------	-----	--------------------	---	----	-----

Code identifying type of location

Use to identify the acceptance location. This code also identifies the inspection location unless N101 in the 2/N1/420 loop is code L1.

DE	Destination (Shipping)
----	------------------------

OR Origin (Shipping Point)

ZZ Mutually Defined

Use to indicate the acceptance point is neither at origin nor at destination. Provide the address in the N1 loop, using code KZ in N101.

Segment: **DTM** Date/Time Reference

Position: 200

Loop: PO1

Level: Detail

Usage: Optional

Max Use: 10

Purpose: To specify pertinent dates and times

Syntax Notes:

- 1 At least one of DTM02 DTM03 or DTM06 is required.
- 2 If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

1. Use this 2/DTM/200 segment when dates apply to a specific line item. If the dates apply to all of the line items, use the 1/DTM/150 segment.
2. Use this segment for delivery information when the quoted delivery can be specified as an actual date. If the quoted delivery schedule is expressed as a set time period after the occurrence of some event, use the 2/LDT/394 loop or the 2/LDT/550 loop if the delivery schedule is applicable to a named entity.
3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
Des.	Element	Name	Attributes
Must Use DTM01	374	Date/Time Qualifier	M ID 3/3
		Code specifying type of date or time, or both date and time	
		017	Estimated Delivery
		036	Expiration
			<i>Use this code to indicate the expiration date of a Federal Supply Schedule or contract. This relates to the information provided in the 2/REF/100 segment, specifically for codes CT, or W6, in REF01.</i>
		037	Ship Not Before
		063	Do Not Deliver After
			<i>Use to indicate deliveries cannot be made after a specified date and/or time.</i>
		064	Do Not Deliver Before
			<i>Use to indicate deliveries cannot be made before a specified date and/or time.</i>
		065	1st Schedule Delivery
		066	1st Schedule Ship
		069	Promised for Delivery
			<i>Use to indicate the exact date when the offeror proposes to make delivery.</i>

075	Promised for Delivery (Prior to and Including) <i>Use to indicate the date on or before which the offeror proposes to make delivery.</i>
078	Promised for Delivery (Week of) <i>When this code is used, cite the beginning date of the week.</i>
174	Month Ending <i>Use to indicate delivery is required on the last date of the specified month.</i>
193	Period Start <i>Use to indicate the performance period start date.</i>
194	Period End <i>Use to indicate the performance period end date.</i>
227	Lease Term Start
228	Lease Term End
276	Contract Start <i>Use to indicate the commencement date of an Agreement or an IDC award instrument.</i>
279	Contract Completion <i>Use to indicate the completion date of an Agreement or an IDC award instrument.</i>
368	Submittal <i>When REF01 is code TN, use to indicate the date of a related transaction set.</i>
375	Delivery Start <i>Use to indicate the start date for deliveries when the total quantity is to be delivered during a specified time period.</i>
376	Delivery End <i>Use to indicate the end date for deliveries when the total quantity is to be delivered during a specified time period.</i>
800	Midpoint of Performance <i>Use to indicate the date when half the effort in terms of dollars or hours will be completed.</i>
937	Department of Labor Wage Determination Date <i>Use to indicate the date of a Department of Labor Wage Determination.</i>
992	Date Requested <i>Use to indicate the extension date requested for a quote submission for the line item identified in PO101. Not applicable to IFB. Cite code 04 in BQR01 of the subsequent quote.</i>

DTM02 373 Date

X DT 6/6

DTM03	337	<div>Date (YYMMDD)</div> <div><div>Time</div><div>X TM 4/8</div></div> <div>Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)</div> <div>If applicable, use to indicate the time for a delivery.</div>
DTM04	623	<div><div>Time Code</div><div>O ID 2/2</div></div> <div>Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow</div> <div><div>CT</div><div>Central Time</div><div>ET</div><div>Eastern Time</div><div>GM</div><div>Greenwich Mean Time</div><div>LT</div><div>Local Time</div><div>MT</div><div>Mountain Time</div><div>PT</div><div>Pacific Time</div></div>
DTM05	624	<div><div>Century</div><div>O NO 2/2</div></div> <div>The first two characters in the designation of the year (CCYY)</div>
DTM06	1250	<div><div>Date Time Period Format Qualifier</div><div>X ID 2/3</div></div> <div>Code indicating the date format, time format, or date and time format</div> <div>1. Use any code.</div> <div>2. Use to qualify a date when it is necessary to express the date in other than YYMMDD format. Use also, to qualify a range of dates or times.</div> <div>Refer to 003050 Data Element Dictionary for acceptable code values.</div>
DTM07	1251	<div><div>Date Time Period</div><div>X AN 1/35</div></div> <div>Expression of a date, a time, or range of dates, times or dates and times</div> <div>Use to identify a time range for deliveries on a specified date, e.g., use code RTM in DTM06 to qualify a delivery range for March 30, 1995 between 1:00 PM and 4:00 PM local time. Use DTM01/02 to convey the March 30, 1995 date.</div>

Segment: TD5 Carrier Details (Routing Sequence/Transit Time)**Position:** 250**Loop:** PO1**Level:** Detail**Usage:** Optional**Max Use:** 12**Purpose:** To specify the carrier and sequence of routing and provide transit time information**Syntax Notes:** 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required.

2 If TD502 is present, then TD503 is required.

3 If TD507 is present, then TD508 is required.

4 If TD510 is present, then TD511 is required.

Semantic Notes:**Comments:** 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.**Notes:** 1. Use this 2/TD5/250 segment to identify the transportation method that is applicable to a specific line item. Use the 2/TD5/500 segment if the transportation method for the line item applies to a named entity.

2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>ID</u>
TD504	91 Transportation Method/Type Code	X ID 1/2
	Code specifying the method or type of transportation for the shipment	
	1. Use any code.	
	2. An application program conversion table may be required to convert agency codes to X12 codes.	
	<i>D Parcel Post</i>	
	Use to indicate the US Postal Service and not a private carrier.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
TD512	284 Service Level Code	X ID 2/2
	Code defining service	
	Use any code.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	

Segment: **TD4** **Carrier Details (Special Handling, or Hazardous Materials, or Both)**

Position: 270

Loop: PO1

Level: Detail

Usage: Optional

Max Use: 5

Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes: 1 At least one of TD401 TD402 or TD404 is required.
2 If TD402 is present, then TD403 is required.

Semantic Notes:

Comments:

Notes: 1. Use this 2/TD4/270 segment to provide special handling or hazardous material information that applies to a specific line item. Use the 2/TD4/520 segment when the information applies to a named entity.

2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD401	152	Special Handling Code	X ID 2/3
		Code specifying special transportation handling instructions	
		<i>Any code may be used but the listed codes are preferred.</i>	
		<i>AMM A.M. Delivery Requirement</i>	
		<i>DA Dangerous</i>	
		<i>EX Explosive Flammable Gas</i>	
		<i>FG Flammable Gas</i>	
		<i>FL Flammable</i>	
		<i>FP Flammable Poison Gas</i>	
		<i>HM Endorsed as Hazardous Material</i>	
		<i>LT Less Than Full Carload</i>	
		<i>LTT Less Than Truckload</i>	
		<i>PG Poisonous Gas</i>	
		<i>PMM P.M. Delivery Requirement</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
TD402	208	Hazardous Material Code Qualifier	X ID 1/1
		Code which qualifies the Hazardous Material Class Code (209)	
		<i>Use any code.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	
TD403	209	Hazardous Material Class Code	X AN 2/4
		Code specifying the kind of hazard for a material	
TD404	352	Description	X AN 1/80
		A free-form description to clarify the related data elements and their	

content

Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

Segment: **MSG** Message Text

Position: 289

Loop: PO1

Level: Detail

Usage: Optional

Max Use: >1

Purpose: To provide a free form format that would allow the transmission of text information.

Syntax Notes:

Semantic Notes:

Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Notes: 1. *Use this segment to provide, in plain text, information not associated with a lead time, clause or address.*

2. *Use of free form text is discouraged if the information can be provided by some other means within the transaction set.*

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use MSG01	933 Free-Form Message Text	M AN 1/264
	Free-form message text	

Segment: **SPI** **Specification Identifier**
Position: 291
Loop: PO1
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To provide a description of the included specification or technical data items
Syntax Notes: 1 If either SPI02 or SPI03 is present, then the other is required.
Semantic Notes:
Comments:
Notes: *Use this segment to identify those elements of the quote that have a government security classification or commercial protection level.*

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use SPI01	786	Security Level Code	M ID 2/2
		Code indicating the level of confidentiality assigned by the sender to the information following	
		<i>Use to identify the level of government security classification or commercial protection level applicable to the items identified in SPI02/03. If the item has both a government security classification and a commercial protection level, cite the government security classification in this data element and cite the commercial protection level in SPI09.</i>	
		06 Supplier Proprietary	
		11 Competition Sensitive	
		92 Government Confidential	
		93 Government Secret	
		94 Government Top Secret	
SPI02	128	Reference Number Qualifier	X ID 2/2
		Code qualifying the Reference Number.	
		<i>1. Use to identify items within the transaction set that are either government classified, e.g., drawing number, SOW, or those items that have a commercial protection level assigned by the offeror. Use SPI04 to further define the number or to describe the item cited in SPI03, if necessary.</i>	
		<i>2. Use any code.</i>	
		<i>91 Cost Element</i>	
		<i>Use to indicate cost or price data, e.g., unit price, labor rate, overhead rate, etc. When this code is used, cite the number to which the protection level applies in SPI03 and use SPI04 to define the number.</i>	
		<i>DD Document Identification</i>	
		<i>Use to indicate an Engineering Data List.</i>	

		Refer to 003050 Data Element Dictionary for acceptable code values.	
SPI03	127	Reference Number	X AN 1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
SPI04	790	Entity Title	O AN 1/132
		Title of the data entity	
		<i>Use only if necessary to further define the number in SPI03.</i>	
SPI09	786	Security Level Code	O ID 2/2
		Code indicating the level of confidentiality assigned by the sender to the information following	
		<i>When SPI01 is code 92, 93, or 94, use to identify the commercial protection level assigned to the item identified in SPI03, if applicable.</i>	
		06	Supplier Proprietary
		11	Competition Sensitive

Segment: **SCH** Line Item Schedule

Position: 292

Loop: SCH

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify the data for scheduling a specific line-item

Syntax Notes:

- 1 If SCH03 is present, then SCH04 is required.
- 2 If SCH08 is present, then at least one of SCH09 or SCH10 is required.
- 3 If SCH09 is present, then SCH08 is required.
- 4 If SCH10 is present, then SCH08 is required.

Semantic Notes: 1 SCH12 is the schedule identification.

Comments: 1 SCH05 specifies the interpretation to be used for SCH06 and SCH07.

Notes:

1. Use this 2/SCH/292 segment to quote a partial delivery when it can be specified as an actual date and there is only one ship-to addressee. If there is more than one entity receiving a partial shipment, use the 2/SCH/490 segment.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use SCH01	380	Quantity	M	R 1/15
		Numeric value of quantity		
Must Use SCH02	355	Unit or Basis for Measurement Code	M	ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
		1. Use any code.		
		2. An application program conversion table may be required to convert agency codes to X12 codes.		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
Must Use SCH05	374	Date/Time Qualifier	M	ID 3/3
		Code specifying type of date or time, or both date and time		
		017 Estimated Delivery		
		037 Ship Not Before		
		063 Do Not Deliver After		
		Use to indicate deliveries cannot be made after a specified date and/or time.		
		064 Do Not Deliver Before		
		Use to indicate deliveries cannot be made before a specified date and/or time.		
		065 1st Schedule Delivery		
		066 1st Schedule Ship		

		069	Promised for Delivery <i>Use to indicate the exact date when the offeror proposes to make delivery.</i>			
		075	Promised for Delivery (Prior to and Including) <i>Use to indicate the date on or before which the offeror proposes to make delivery.</i>			
		078	Promised for Delivery (Week of) <i>When this code is used, cite the beginning date of the week.</i>			
		174	Month Ending <i>Use to indicate delivery is required on the last date of the specified month.</i>			
		358	Cycle Begin <i>Use to indicate the beginning of a delivery cycle.</i>			
		375	Delivery Start <i>Use to indicate the start date for deliveries when the total quantity is to be delivered during a specified time period.</i>			
Must Use	SCH06	373	Date Date (YYMMDD)	M	DT	6/6
	SCH07	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) <i>If applicable, use to indicate the time for a delivery.</i>	O	TM	4/8
	SCH08	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	X	ID	3/3
		017	Estimated Delivery			
		037	Ship Not Before			
		063	Do Not Deliver After <i>Use to indicate deliveries cannot be made after a specified date and/or time.</i>			
		064	Do Not Deliver Before <i>Use to indicate deliveries cannot be made before a specified date and/or time.</i>			
		069	Promised for Delivery <i>Use to indicate the exact date when the offeror proposes to make delivery.</i>			
		075	Promised for Delivery (Prior to and Including) <i>Use to indicate the date on or before which the offeror proposes to make delivery.</i>			

078	Promised for Delivery (Week of)
	<i>When this code is used, cite the beginning date of the week.</i>
174	Month Ending
	<i>Use to indicate delivery is required on the last date of the specified month.</i>
359	Cycle End
	<i>Use to indicate the end of a delivery cycle.</i>
376	Delivery End
	<i>Use to indicate the end date for deliveries when the total quantity is to be delivered during a specified time period.</i>

SCH09	373	Date	X	DT	6/6
		Date (YYMMDD)			

SCH10	337	Time	X	TM	4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)			
		<i>If applicable, use to indicate the time for a delivery.</i>			

Segment: **PD Pricing Data**

Position: 392

Loop: PD

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To describe the pricing basic input detail

Syntax Notes:

Semantic Notes:

- 1 PD01 is the unit of the time period contained in PD02.
- 2 PD02 is the date of the start of the time period in PD01.
- 3 PD04 is the quantity of the unit of measurement in PD03.
- 4 PD05 is the name of the cost element being proposed.
- 5 PD06 is the description of the name of the cost element being proposed.
- 6 PD08 is a reference to a specific paragraph number contained in an external document.
- 7 PD09 is the category of the data being proposed.

Comments:

Notes:

1. *Use this loop to provide labor categories, hours, rates, overhead rates, time periods and other cost information.*
2. *The information contained in this loop is only applicable to the line item within the same PO1 loop.*

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use PD01	344 Unit of Time Period or Interval	M ID 2/2
	Code indicating the time period or interval	
	<i>Use any code.</i>	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
Must Use PD02	373 Date	M DT 6/6
	Date (YYMMDD)	
	<i>Use to identify the commencement date of the time period specified in PD01, e.g., if PD01 is code CY, then 940101 would indicate the calendar year commencing January 1, 1994.</i>	
Must Use PD03	C001 Composite Unit of Measure	M
	To identify a composite unit of measure (See Figures Appendix for examples of use)	
Must Use C00101	355 Unit or Basis for Measurement Code	M ID 2/2
	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
	<i>Any code may be used but the following codes are preferred.</i>	
	<i>A8 Dollars per Hours</i>	
	<i>DO Dollars, U.S.</i>	

HR Hours

M4 Monetary Value

Use to indicate the monetary unit specified in CUR05 if the quote is in other than US dollars.

P1 Percent

Refer to 003050 Data Element Dictionary for acceptable code values.

Must Use	PD04	380	Quantity	M R	1/15
			Numeric value of quantity		
			<i>Use to identify the length of the period of time specified in PD01. For example: If the proposing party wanted to indicate the hourly rate for a specific labor category for a two year period, the PD01 would carry code CY for calendar year, PD02 would carry the beginning year, e.g. 940101, PD03-1 would carry code A8 for dollars per hour, and PD04 would carry the number 2.</i>		
Must Use	PD05	93	Name	M AN	1/35
			Free-form name		
			<i>Use to provide an abbreviated name for the labor category or other category to which the data being provided pertains.</i>		
	PD06	352	Description	O AN	1/80
			A free-form description to clarify the related data elements and their content		
			<i>Use to identify the full description of the abbreviated name provided in PD05.</i>		
	PD07	1196	Breakdown Structure Detail Code	O ID	2/2
			Codes identifying details relating to a reporting breakdown structure tree		
			26	Recurring	
			27	Nonrecurring	
	PD10	1401	Proposal Data Detail Identifier Code	O ID	1/3
			Code identifying the basis of a cited value in a proposal		
			<i>1. Use to qualify the data being provided.</i>		
			<i>2. Use any code.</i>		
			Refer to 003050 Data Element Dictionary for acceptable code values.		

Segment: PDD Pricing Data Detail**Position:** 393**Loop:** PD**Level:** Detail**Usage:** Optional**Max Use:** >1**Purpose:** To provide the rates, direct input, and pricing factors for each element of work, cross-referenced to an applicable request or submission**Syntax Notes:** 1 At least one of PDD02 PDD03 or PDD04 is required.**Semantic Notes:** 1 PDD01 is a sequential number assigned by the initiator.**Comments:****Notes:** 1. Use this segment to provide the actual data related to the item or category identified in the preceding PD segment.

2. Each occurrence of this segment may contain an entry in PDD02, or PDD03 or PDD04 but not in more than 1.

3. The number of occurrences of this PDD segment within each PD loop must equal the number cited in PD04 for each iteration of the PD loop.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	PDD01	350 Assigned Identification	M AN 1/11
		Alphanumeric characters assigned for differentiation within a transaction set	
		<i>A unique and progressive sequence number (starting with the number "1") assigned by the offeror.</i>	
	PDD02	380 Quantity	X R 1/15
		Numeric value of quantity	
		<i>Only use when PD03 is code HR.</i>	
	PDD03	782 Monetary Amount	X R 1/15
		Monetary amount	
		<i>1. Only use when PD03 is code A8 or DO.</i>	
	PDD04	954 Percent	X R 1/10
		Percentage expressed as a decimal	
		<i>1. Only use when PD03 is code P1.</i>	
		<i>2. Percents will be cited as a 4 position number with a decimal between positions 2 and 3.</i>	
	PDD05	1401 Proposal Data Detail Identifier Code	O ID 1/3
		Code identifying the basis of a cited value in a proposal	
		<i>Use any code.</i>	
		Refer to 003050 Data Element Dictionary for acceptable code values.	

Segment: **LDT** Lead Time

Position: 394

Loop: LDT

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify lead time for availability of products and services

Syntax Notes:

Semantic Notes: 1 LDT04 is the effective date of lead time information.

Comments: 1 LDT02 is the quantity of unit of time periods.

Notes:

1. Use this 2/LDT/394 loop when the quote delivery schedule is a set time period after the occurrence of some event and varies by line item. If the quote delivery schedule is applicable to a named entity, use the 2/LDT/550 loop. If this segment is used, the 2/DTM/200 segment is not used.

2. The following are examples of how the LDT loop can be used to specify a delivery schedule:

Example 1: Deliver 50 each 180 days after the date of the order.

LDT*AY*180*DA n/l
QTY*1J*50*EA n/l

Example 2: Deliver the total quantity of 500 each as follows: 50 per month commencing 180 days after the date of the order.

LDT*AY*180*DA n/l
QTY*1J*50*MO n/l

Example 3: Deliver the total quantity of 20,500 each as follows: 2500 each per quarter commencing 90 days after the date of the order until half the order is completed, then 1000 per month until the total order is complete.

LDT*AY*90*DA n/l
QTY*1J*2500*Q1 n/l
QTY*1K*4*Q1 n/l
LDT*AM*I*MO n/l
QTY*1J*1000*MO n/l
QTY*1K*10*MO n/l
LDT*AK*I*MO n/l
QTY*1J*500*EA n/l

3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	
<u>Des.</u>	<u>Element</u>	<u>Name</u>

Attributes

Must Use	LDT01	345	Lead Time Code	M	ID	2/2
			Code indicating the time range			
			AA From date of PO receipt to sample ready.			
			AD From date of sample approval to first product shipment.			
			AE From date of PO receipt to shipment.			
			AF From date of PO receipt to delivery.			
			AH From Date of Receipt of First Article to First Article Approval			
			AI From Date of a Specified Event to Delivery <i>When this code is used, identify the specified event in the following MSG segment.</i>			
			AJ From Date of First Delivery to Date of Subsequent Delivery(ies)			
			AK From Date Of Latest Delivery To Final Delivery			
			AM From Date Of Previous Delivery To Date Of Subsequent Delivery			
			AP From Date of Award to Midpoint of Effort			
			AV From Date of Award to Date of Latest Delivery			
			AW From Date of Award to Date of Earliest Delivery			
			AX From Date of Award to Date of Completion			
			AY From Date of Award to Date of Delivery			
			AZ From Date of Receipt of Item to Date of Approval of Item			
Must Use	LDT02	380	Quantity	M	R	1/15
			Numeric value of quantity			
Must Use	LDT03	344	Unit of Time Period or Interval	M	ID	2/2
			Code indicating the time period or interval			
			CY Calendar Year			
			DA Calendar Days			
			KK Maximum Calendar Days <i>Use to indicate a flexible time period, e.g., X number of days or less.</i>			
			MO Month			
			QY Quarter of a Year			
			SA Semiannual			
			WK Weeks			
	LDT04	373	Date	O	DT	6/6
			Date (YYMMDD) <i>Use, as applicable, to cite the effective date of a lead time. For example, the start date of the cited activity.</i>			

Segment: **QTY** Quantity
Position: 395
Loop: LDT
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify quantity information
Syntax Notes:
Semantic Notes:
Comments:
Notes:

1. Use this segment to specify the quantity that is to be delivered in accordance with the quote delivery schedule. The deliverable quantity can be expressed as a discrete quantity or a quantity per time period, e.g., 1000 per month. To indicate a delivery rate per time period, cite in QTY02 the quantity to be delivered and cite in QTY03 the time period, e.g., days, weeks, months, quarters, years.
2. Use also to indicate the length of a delivery period, e.g., 4 quarters or the number of shipments.
3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	QTY01	673 Quantity Qualifier	M ID 2/2
		Code specifying the type of quantity	
		1J Due	
		Use to indicate the quantity to be delivered.	
		1K Time Units	
		Use to indicate the length of the delivery period.	
		SA Shipments	
		Use to indicate the number of shipments proposed to complete the deliverable quantity.	
Must Use	QTY02	380 Quantity	M R 1/15
		Numeric value of quantity	
		1. When QTY01 is code 1J, cite the quantity to be delivered.	
		2. When QTY01 is code 1K, cite the length of the delivery period in this data element, e.g., 4 and in QTY03 identify the time measurement of the delivery period, e.g., months.	
QTY03	355	Unit or Basis for Measurement Code	O ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
		1. Use any code.	

2. An application program conversion table may be required to convert agency codes to X12 codes.

DA Days

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

MO Months

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

Q1 Quarter (Time)

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

WK Week

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

YR Years

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

Refer to 003050 Data Element Dictionary for acceptable code values.

Segment: **MSG** Message Text
Position: 396
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.
Notes: 1. When LDT01 is code AI, use to identify the specified event.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use MSG01	933	Free-Form Message Text	M AN 1/264
		Free-form message text	

Segment: **LM** Code Source Information

Position: 397

Loop: LM

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To transmit standard code list identification information

Syntax Notes:

Semantic Notes:

Comments: 1 LM02 identifies the applicable industry code list source information.

Notes: 1. Use this 2/LM/397 loop to provide the codes from DoD 5010.12-M that identify the frequency of delivery for a CDRL data item.

2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data			
Des.	Element	Name	Attributes	
Must Use LM01	559	Agency Qualifier Code	M	ID 2/2
		Code identifying the agency assigning the code values		
		DF Department of Defense (DoD)		
LM02	822	Source Subqualifier	O	AN 1/15
		A reference that indicates the table or text maintained by the Source Qualifier		

Segment: **LQ** Industry Code
Position: 398
Loop: LM
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:
Comments:
Notes: *Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.*

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
LQ01	1270	Code List Qualifier Code	O	ID 1/3
		Code identifying a specific industry code list		
		FX Frequency		
		<i>Use to indicate the frequency code for a data item deliverable on a Contract Data Requirements List (DD Form 1423).</i>		
LQ02	1271	Industry Code	X	AN 1/20
		Code indicating a code from a specific industry code list		

Segment: **N9** Reference Number

Position: 400

Loop: N9

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To transmit identifying numbers and descriptive information as specified by the reference number qualifier

Syntax Notes:

- 1 At least one of N902 or N903 is required.
- 2 If N906 is present, then N905 is required.

Semantic Notes:

- 1 N906 reflects the time zone which the time reflects.

Comments:

Notes:

1. Use this 2/N9/400 loop to provide required information that is applicable to a specific line item. When the information is applicable to the entire quote, use the 1/N9/290 loop.
2. Use this loop to provide certifications, representations or fill-in information applicable to a specific line item as required in the Solicitation (RRA segment) 840 transaction set or to specify exceptions being taken to some item in the solicitation that cannot be provided elsewhere in the transaction set.
3. When citing a clause in N902, the date of the clause *MUST* be cited in N904 and the title of the clause may be optionally cited in the following MSG segment.
4. When an Alternate section is applicable to a cited clause, the alpha/numeric alternate identifier and date *MUST* be cited in the following MSG segment.
5. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use N901	128	Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
		BB Authorization Number	
			Use to indicate the Code of Federal Regulations.
		CJ Clause Number	
			Use to indicate a purchasing activity clause (i.e., a clause not found in FAR/DFARS/FIRMR, etc.).
			Identify the purchasing activity issuing the clause in N903.
		DF Defense Federal Acquisition Regulations (DFAR)	
		DX Department/Agency Number	
			Use to indicate an Agency Clause and identify the agency in N903.

EC	Circular <i>Use to indicate an Office of Management and Budget (OMB) Circular number.</i>
FA	Federal Acquisition Regulations (FAR)
H4	Federal Information Resources Management Regulation
KR	Response to a Request for Quotation Reference <i>Use to indicate fill-in information required by the number cited in N902 is being provided in the following MSG segment.</i>
KT	Request for Quotation Reference <i>When BQR06 is code BW, use to indicate exceptions are being taken to items in the solicitation and are specified in the following MSG segment. Insert the word "Exception" in N903 when this code is used.</i>
KW	Certification <i>Use to indicate a certification required by the number cited in N902 is being provided in the following MSG segment.</i>
KX	Representation <i>Use to indicate a representation required by the number cited in N902 is being provided in the following MSG segment.</i>
KY	Site Specific Procedures, Terms, and Conditions
KZ	Master Solicitation Procedures, Terms, and Conditions <i>Use to indicate the Master Solicitation number that contains terms and conditions that pertain to the solicitation.</i>
L1	Letters or Notes <i>Use to indicate general information, comments, or notes are being provided by the bidder in the following MSG segment. Insert the word "Note" in N903 when this code is used.</i>
ZZ	Mutually Defined <i>Use to indicate that amounts applicable to incentive or cost sharing contracts are being provided in the MSG segment. When used, insert the word "Amounts" in N903.</i>

N902	127	Reference Number	X	AN	1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.			
N903	369	Free-form Description	X	AN	1/45
		Free-form descriptive text			
		1. When N901 is code KT, cite the word "Exception"; when N901 is code			

L1, cite the word "Note"; when N901 is code ZZ, insert the word "Amounts"; when N901 is code CJ or DX, identify the Agency or purchasing activity issuing the clause cited in N902.

2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

N904

373

Date

O DT 6/6

Date (YYMMDD)

Use to identify the date of the clause cited in N902. The DD portion of the date will always be 01.

Segment: **MSG** Message Text

Position: 410

Loop: N9

Level: Detail

Usage: Optional

Max Use: 1000

Purpose: To provide a free form format that would allow the transmission of text information.

Syntax Notes:

Semantic Notes:

Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Notes:

1. Use this segment when N901 is code KR, KW, or KX to provide a certification, representation or fill-in information required by the clause or paragraph number cited in N902; when N901 is code L1 to provide general comments or notes; when N901 is code KT to identify exceptions being taken to some portion of the solicitation; or when N901 is code ZZ, to identify amounts applicable to incentive or cost sharing contracts.

2. When providing a certification, representation or fill-in information, the clause title, if cited, and the alternate identifier and date, if applicable, will be the first data provided. This data will be followed by a numeric designation of the number of data items being provided. Each data item will be preceded by the paragraph or section identifier in the clause where the certification, representation or fill-in information is to be inserted (if identifiers are included in the clause). If there is no paragraph or section designator, the required information will immediately follow the numeric designation of the data items being provided. If the information to be provided is to be selected from provided responses within the clause, cite the information that is selected.

3. A pipe sign (/) will be inserted after each data item. As an example, the information required by FAR 52.204-3 would be provided as follows:

Taxpayer Identification/ 3/ (c) TIN has been applied for/ (d) Other corporate entity/ (e) Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this clause/

Information required by DFARS 252.211-7012 would be provided as follows:

Certifications--Commercial Items--Competitive Acquisitions/ 2/(c)(1) Items offered are commercial items as defined in (b)(1)(iv)/ (c2)(ii) Will be produced using government production and research property identified below/ Milling Machine/ N0001992C1234/ Naval Air Systems Command/

In the second example, the name of the offeror and the solicitation number (required by the clause) are provided elsewhere within the transaction set therefore are not repeated in the certification.

4. Use this segment to provide information essential to the quote.

Data Element Summary				
	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	MSG01	933	Free-Form Message Text Free-form message text	M AN 1/264

Segment: **N1** Name

Position: 420

Loop: N1

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes:

- 1** At least one of N102 or N103 is required.
- 2** If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments:

- 1** This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2** N105 and N106 further define the type of entity in N101.

Notes:

- 1. Use this 2/N1/420 loop to provide address information related to a specific line item. Use the 1/N1/310 loop to provide address information that is applicable to all of the line items.*
- 2. Whenever possible, identification and address information should be provided using N101, N103, and N104. Use N102 and segment N2 through N4 as applicable when address information cannot be provided using one of the codes listed in N103.*
- 3. Use this segment to provide information essential to the quote.*

Data Element Summary

Ref.	Data	
<u>Des.</u>	<u>Element</u>	<u>Name</u>
Must Use N101	98	Entity Identifier Code
		Code identifying an organizational entity, a physical location, or an individual
	31	Postal Mailing Address
	61	Performed At
		<i>Use to indicate the proposed place of performance when it is other than the offeror's mailing address.</i>
	AE	Additional Delivery Address
		<i>Use to indicate a ship in-place location.</i>
	IC	Intermediate Consignee
		<i>When FOB02 is code IT, use to indicate a freight forwarder.</i>
	IS	Party to Receive Certified Inspection Report
	KF	Audit Office
	KG	Project Manager
		<i>Use to indicate the party responsible for a project to include the advisor under a Grant.</i>
	KH	Organization Having Source Control

					<i>When BQR06 is code AB, use to identify the organization having source control of the product offered.</i>
		KX	Free on Board Point		<i>When FOB02 is code ZZ, use to indicate an FOB point other than at origin or destination.</i>
		KY	Technical Office		
		KZ	Acceptance Location		<i>Use to indicate the acceptance location is proposed at other than origin or destination.</i>
		L1	Inspection Location		
		MF	Manufacturer of Goods		<i>Use either to identify the actual manufacturer of the item if not the offeror or if a qualification requirement applied to the solicited item to specify the manufacturer that has already met the qualification requirement.</i>
		PW	Pick Up Address		
		ST	Ship To		<i>Use this code when a different delivery schedule associated with a named entity is being proposed. If the ship-to address is an FPO or APO, cite the FPO or APO zip code in N104 and cite code AR in N405.</i>
		SV	Service Performance Site		<i>Use to indicate the location where a service will be performed, e.g., grass cutting.</i>
		X2	Party to Perform Packaging		
N102	93	Name		X AN	1/35
		Free-form name			
N103	66	Identification Code Qualifier		X ID	1/2
		Code designating the system/method of code structure used for Identification Code (67)			
		<i>While the federal EDI program uses the DUNS number, other government users of this implementation convention may require the use of other and additional numbers for a transition period in order to cross reference existing data bases to new procurement actions.</i>			
		1	D-U-N-S Number, Dun & Bradstreet		
			<i>Use of the DUNS number is preferred over other codes to identify an entity.</i>		
		10	Department of Defense Activity Address Code (DODAAC)		
			<i>Use to indicate a DoD or Civilian Agency Activity Address Code.</i>		
		33	Commercial and Government Entity (CAGE)		

Use to indicate a commercial entity. If the commercial entity does not have a CAGE code, use code ZC.

	A2	Military Assistance Program Address Code (MAPAC)	
N104	67	Identification Code	X AN 2/20
		Code identifying a party or other code	

Segment: **N2 Additional Name Information**
Position: 430
Loop: N1
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:
Notes: *This segment is not necessary when the entity cited in N101 is described by a code in N103/N104.*

Data Element Summary				
Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use N201	93	Name	M	AN 1/35
		Free-form name		
N202	93	Name	O	AN 1/35
		Free-form name		

Segment: **N3** Address Information
Position: 440
Loop: N1
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:
Notes: *This segment is not necessary when the entity cited in N101 is described by a code in N103/N104.*

Data Element Summary			
Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use N301	166	Address Information	M AN 1/35
		Address information	
N302	166	Address Information	O AN 1/35
		Address information	

Segment: **N4 Geographic Location**

Position: 450

Loop: N1

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify the geographic place of the named party

Syntax Notes: 1 If N406 is present, then N405 is required.

Semantic Notes:

Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

2 N402 is required only if city name (N401) is in the USA or Canada.

Notes: *This segment is not necessary when the entity cited in N101 is described by a code in N103/N104.*

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
N401	19 City Name Free-form text for city name	O AN 2/30
N402	156 State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116 Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/11
N404	26 Country Code Code identifying the country	O ID 2/3
N405	309 Location Qualifier Code identifying type of location AR Armed Services Location Designation <i>Use to indicate an Army Post Office (APO) or Fleet Post Office (FPO).</i>	X ID 1/2
N406	310 Location Identifier Code which identifies a specific location	O AN 1/30

Segment: **PER Administrative Communications Contact**
Position: 470
Loop: N1
Level: Detail
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Notes:

- 1 If either PER03 or PER04 is present, then the other is required.
- 2 If either PER05 or PER06 is present, then the other is required.
- 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:**Comments:**

Notes: *Use this segment to identify points of contact within the manufacturing entity who has design control or who is manufacturing an equal or substitute line item.*

Data Element Summary

Ref.	Data				
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>		
Must Use PER01	366	Contact Function Code	M	ID	2/2
		Code identifying the major duty or responsibility of the person or group named			
		IC			Information Contact
		ME			Manufacturing
					<i>Use this code for the manufacturing point of contact.</i>
		PP			Program Manager
		SU			Supplier Contact
					<i>Use this code for the contact point for a supplier who has design control over a manufactured item.</i>
PER02	93	Name	O	AN	1/35
		Free-form name			
		<i>Cite last name first, followed by first name. If the whole name is longer than 35 characters, truncate or use initials for the first name. If necessary, use PER09 to cite the party's title.</i>			
PER03	365	Communication Number Qualifier	X	ID	2/2
		Code identifying the type of communication number			
		AU			Defense Switched Network
		EM			Electronic Mail
		FX			Facsimile
		IT			International Telephone
		TE			Telephone
		<i>Use to indicate the commercial telephone number of the individual cited in PER02. Include the area code.</i>			
PER04	364	Communication Number	X	AN	1/80

		Complete communications number including country or area code when applicable			
PER05	365	Communication Number Qualifier	X	ID	2/2
		Code identifying the type of communication number			
		<i>Use to identify a second communications number for the party cited in PER02. For example, if PER03/04 cites a telephone number, PER05/06 could cite a FAX number.</i>			
		AU Defense Switched Network			
		EM Electronic Mail			
		EX Telephone Extension			
		<i>Use only if PER03 is used citing either code AU or TE.</i>			
		FX Facsimile			
		IT International Telephone			
		TE Telephone			
		<i>Use to indicate the commercial telephone number of the individual cited in PER02. Include the area code.</i>			
PER06	364	Communication Number	X	AN	1/80
		Complete communications number including country or area code when applicable			
PER07	365	Communication Number Qualifier	X	ID	2/2
		Code identifying the type of communication number			
		<i>Use to identify a third communications number for the party cited in PER02.</i>			
		AU Defense Switched Network			
		EM Electronic Mail			
		EX Telephone Extension			
		<i>Use only if PER05 is used citing either code AU or TE.</i>			
		FX Facsimile			
		IT International Telephone			
		TE Telephone			
		<i>Use to indicate the commercial telephone number of the individual cited in PER02. Include the area code.</i>			
PER08	364	Communication Number	X	AN	1/80
		Complete communications number including country or area code when applicable			
PER09	443	Contact Inquiry Reference	O	AN	1/20
		Additional reference number or description to clarify a contact number			
		<i>Use, if necessary, to provide the title of the individual cited in PER02.</i>			

Segment: **SCH** Line Item Schedule

Position: 485

Loop: N1

Level: Detail

Usage: Optional

Max Use: 200

Purpose: To specify the data for scheduling a specific line-item

Syntax Notes:

- 1 If SCH03 is present, then SCH04 is required.
- 2 If SCH08 is present, then at least one of SCH09 or SCH10 is required.
- 3 If SCH09 is present, then SCH08 is required.
- 4 If SCH10 is present, then SCH08 is required.

Semantic Notes: 1 SCH12 is the schedule identification.

Comments: 1 SCH05 specifies the interpretation to be used for SCH06 and SCH07.

Notes:

1. Use this segment to identify a partial delivery when it can be specified as an actual date and is applicable to a named entity.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Des.	Data Element	Name	Attributes
Must Use	SCH01	380	Quantity	M R 1/15
			Numeric value of quantity	
Must Use	SCH02	355	Unit or Basis for Measurement Code	M ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
			1. Use any code.	
			2. An application program conversion table may be required to convert agency codes to X12 codes.	
			Refer to 003050 Data Element Dictionary for acceptable code values.	
Must Use	SCH05	374	Date/Time Qualifier	M ID 3/3
			Code specifying type of date or time, or both date and time	
			017 Estimated Delivery	
			037 Ship Not Before	
			063 Do Not Deliver After	
			Use to indicate deliveries cannot be made after a specified date and/or time.	
			064 Do Not Deliver Before	
			Use to indicate deliveries cannot be made before a specified date and/or time.	
			065 1st Schedule Delivery	
			066 1st Schedule Ship	

		069	Promised for Delivery <i>Use to indicate the exact date when the offeror proposes to make delivery.</i>			
		075	Promised for Delivery (Prior to and Including) <i>Use to indicate the date on or before which the offeror proposes to make delivery.</i>			
		078	Promised for Delivery (Week of) <i>When this code is used, cite the beginning date of the week.</i>			
		174	Month Ending <i>Use to indicate delivery is required on the last date of the specified month.</i>			
		358	Cycle Begin <i>Use to indicate the beginning of a delivery cycle.</i>			
		375	Delivery Start <i>Use to indicate the start date for deliveries when the total quantity is to be delivered during a specified time period.</i>			
Must Use	SCH06	373	Date Date (YYMMDD)	M	DT	6/6
	SCH07	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) <i>If applicable, use to indicate the time for a delivery.</i>	O	TM	4/8
	SCH08	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	X	ID	3/3
		017	Estimated Delivery			
		037	Ship Not Before			
		063	Do Not Deliver After <i>Use to indicate deliveries cannot be made after a specified date and/or time.</i>			
		064	Do Not Deliver Before <i>Use to indicate deliveries cannot be made before a specified date and/or time.</i>			
		069	Promised for Delivery <i>Use to indicate the exact date when the offeror proposes to make delivery.</i>			
		075	Promised for Delivery (Prior to and Including) <i>Use to indicate the date on or before which the offeror proposes to make delivery.</i>			

078	Promised for Delivery (Week of)
	<i>When this code is used, cite the beginning date of the week.</i>
174	Month Ending
	<i>Use to indicate delivery is required on the last date of the specified month.</i>
359	Cycle End
	<i>Use to indicate the end of a delivery cycle.</i>
376	Delivery End
	<i>Use to indicate the end date for deliveries when the total quantity is to be delivered during a specified time period.</i>

SCH09	373	Date	X	DT	6/6
-------	-----	------	---	----	-----

Date (YYMMDD)

SCH10 **337** **Time** **X** **TM** **4/8**

Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

If applicable, use to indicate the time for a delivery.

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	500
Loop:	N1
Level:	Detail
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.
Notes:	<ol style="list-style-type: none"> 1. Use this 2/TD5/500 segment when the transportation method is applicable to a named entity for a specific line item. 2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	ID
TD504	91 Transportation Method/Type Code	X ID 1/2
	Code specifying the method or type of transportation for the shipment	
	1. Use any code.	
	2. An application program conversion table may be required to convert agency codes to X12 codes.	
	<i>D Parcel Post</i>	
	Use to indicate the US Postal Service and not a private carrier.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
TD512	284 Service Level Code	X ID 2/2
	Code defining service	
	Use any code.	
	Refer to 003050 Data Element Dictionary for acceptable code values.	

Segment: **TD4** **Carrier Details (Special Handling, or Hazardous Materials, or Both)**

Position: 520

Loop: N1

Level: Detail

Usage: Optional

Max Use: 5

Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes: **1** At least one of TD401 TD402 or TD404 is required.
2 If TD402 is present, then TD403 is required.

Semantic Notes:

Comments:

Notes: *1. Use this 2/TD4/520 segment when special handling or hazardous material information is applicable to a named entity for a specific line item.*
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>ID</u>
TD401	152 Special Handling Code	X ID 2/3
	Code specifying special transportation handling instructions	
	<i>Any code may be used but the listed codes are preferred.</i>	
	<i>AMM A.M. Delivery Requirement</i>	
	<i>DA Dangerous</i>	
	<i>EX Explosive Flammable Gas</i>	
	<i>FG Flammable Gas</i>	
	<i>FL Flammable</i>	
	<i>FP Flammable Poison Gas</i>	
	<i>HM Endorsed as Hazardous Material</i>	
	<i>LT Less Than Full Carload</i>	
	<i>LTT Less Than Truckload</i>	
	<i>PG Poisonous Gas</i>	
	<i>PMM P.M. Delivery Requirement</i>	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
TD402	208 Hazardous Material Code Qualifier	X ID 1/1
	Code which qualifies the Hazardous Material Class Code (209)	
	<i>Use any code.</i>	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
TD403	209 Hazardous Material Class Code	X AN 2/4
	Code specifying the kind of hazard for a material	
TD404	352 Description	X AN 1/80
	A free-form description to clarify the related data elements and their content	

Use of free form text is discouraged if the information can be provided by some other means within the transaction set.

Segment:	PKG Marking, Packaging, Loading
Position:	530
Loop:	N1
Level:	Detail
Usage:	Optional
Max Use:	25
Purpose:	To describe marking, packaging, loading, and unloading requirements
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of PKG04 PKG05 or PKG06 is required. 2 If PKG04 is present, then PKG03 is required. 3 If PKG05 is present, then PKG01 is required.
Semantic Notes:	1 PKG04 should be used for industry-specific packaging description codes.
Comments:	<ol style="list-style-type: none"> 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc. 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used. 3 Use PKG03 to indicate the organization that publishes the code list being referred to. 4 Special marking or tagging data can be given in PKG05 (description).
Notes:	<p>1. Use this 2/PKG/530 segment to identify packaging requirements applicable to a named entity for a specific line item.</p> <p>2. Packaging information such as the number of items in a unit container, the number of unit containers in an intermediate container, and the gross weight, cube, and dimensions of a unit container or an intermediate container is carried in the 2/PO4/090 segment.</p> <p>3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.</p>

Data Element Summary

Ref.	Data	Attributes
<u>Des.</u>	<u>Element</u> <u>Name</u>	<u>X</u> <u>ID</u> <u>1/1</u>
PKG01	349 Item Description Type	
	Code indicating the format of a description	
	Refer to 003050 Data Element Dictionary for acceptable code values.	
PKG02	753 Packaging Characteristic Code	O ID 1/5
	Code specifying the marking, packaging, loading and related characteristics being described	
	Use the listed codes to identify applicable packaging requirements.	
	CD Cleaning or Drying Procedure	
	CT Cushioning Thickness	
	CUD Cushioning and Dunnage	
	HM Hazardous Material	
	IC Intermediate Container	
	LP Level Of Preservation	

		OPI	Optional Procedure Indicator			
		PK	Packing			
			<i>When the packing code associated with this Packaging Characteristic Code is a three position code; the first position signifies Level A packing for overseas shipments via surface; the second position signifies Level B packing for overseas shipments via freight forwarder, APO/FPO, or air; the third position signifies Level C packing for domestic shipments. When standard commercial packaging per ASTM D3951 is being proposed, cite MIL-STD 2073-2C code X in PKG04.</i>			
		PM	Preservation Method			
		PML	Preservation Material			
		SMK	Special Marking			
		UC	Unit Container			
		UCL	Unit Container Level			
		WM	Wrapping Material			
PKG03	559	Agency Qualifier Code		X	ID	2/2
		Code identifying the agency assigning the code values				
		DF	Department of Defense (DoD)			
		GS	General Services Administration (GSA)			
		ZZ	Mutually Defined			
			<i>Use to indicate a federal activity other than DoD or GSA. Data maintenance has been submitted to ASC X12 requesting a code for Federal Government. If approved, we expect the code will be available for use in ASC X12 Version/Release 3060.</i>			
PKG04	754	Packaging Description Code		X	AN	1/7
		A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product				
		<i>The actual codes associated with the packaging characteristic codes cited in PKG02 can be found in ASC X12 Code Source List 197 (which is MIL-STD-2073-2C).</i>				
PKG05	352	Description		X	AN	1/80
		A free-form description to clarify the related data elements and their content				
		<i>1. When PKG04 carries a code indicating that the item will be packed differently than required in the solicitation, use to provide an explanation.</i>				
		<i>2. Use of free form text is discouraged if the information can be provided by some other means within the transaction set.</i>				

Segment: **LDT** Lead Time

Position: 550

Loop: LDT

Level: Detail

Usage: Optional

Max Use: 1

Purpose: To specify lead time for availability of products and services

Syntax Notes:

Semantic Notes: 1 LDT04 is the effective date of lead time information.

Comments: 1 LDT02 is the quantity of unit of time periods.

Notes:

1. Use this 2/LDT/550 loop if the quote delivery schedule is expressed as a set time period after the occurrence of some event and the ship-to address differs by line item. If the delivery schedule is the same for all ship-to addressees for the line item, use the 2/LDT/394 loop.
2. The following are examples of how the LDT loop can be used to specify a delivery schedule:

Example 1: Deliver 50 each 180 days after the date of the order.

LDT*AY*180*DA n/l
QTY*1J*50*EA n/l

Example 2: Deliver the total quantity of 500 each as follows: 50 per month commencing 180 days after the date of the order.

LDT*AY*180*DA n/l
QTY*1J*50*MO n/l

Example 3: Deliver the total quantity of 20,500 each as follows: 2500 each per quarter commencing 90 days after the date of the order until half the order is completed, then 1000 per month until the total order is complete.

LDT*AY*90*DA n/l
QTY*1J*2500*Q1 n/l
QTY*1K*4*Q1 n/l
LDT*AM*I*MO n/l
QTY*1J*1000*MO n/l
QTY*1K*10*MO n/l
LDT*AK*I*MO n/l
QTY*1J*500*EA n/l

3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	
<u>Des.</u>	<u>Element</u>	<u>Name</u>

Attributes

Must Use	LDT01	345	Lead Time Code	M	ID	2/2
			Code indicating the time range			
			AA From date of PO receipt to sample ready.			
			AD From date of sample approval to first product shipment.			
			AE From date of PO receipt to shipment.			
			AF From date of PO receipt to delivery.			
			AH From Date of Receipt of First Article to First Article Approval			
			AI From Date of a Specified Event to Delivery <i>When this code is used, identify the specified event in the following MSG segment.</i>			
			AJ From Date of First Delivery to Date of Subsequent Delivery(ies)			
			AK From Date Of Latest Delivery To Final Delivery			
			AM From Date Of Previous Delivery To Date Of Subsequent Delivery			
			AP From Date of Award to Midpoint of Effort			
			AV From Date of Award to Date of Latest Delivery			
			AW From Date of Award to Date of Earliest Delivery			
			AX From Date of Award to Date of Completion			
			AY From Date of Award to Date of Delivery			
			AZ From Date of Receipt of Item to Date of Approval of Item			
Must Use	LDT02	380	Quantity	M	R	1/15
			Numeric value of quantity			
Must Use	LDT03	344	Unit of Time Period or Interval	M	ID	2/2
			Code indicating the time period or interval			
			CY Calendar Year			
			DA Calendar Days			
			KK Maximum Calendar Days <i>Use to indicate a flexible time period, e.g., X number of days or less.</i>			
			MO Month			
			QY Quarter of a Year			
			SA Semiannual			
			WK Weeks			
	LDT04	373	Date	O	DT	6/6
			Date (YYMMDD) <i>Use, as applicable, to cite the effective date of a lead time. For example, the start date of the cited activity.</i>			

Segment:	MAN Marks and Numbers
Position:	560
Loop:	LDT
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To indicate identifying marks and numbers for shipping containers
Syntax Notes:	<ol style="list-style-type: none"> 1 If either MAN04 or MAN05 is present, then the other is required. 2 If MAN06 is present, then MAN05 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container. 2 When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range. 3 When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.
Comments:	<ol style="list-style-type: none"> 1 When MAN01 contains code UC (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06. 2 MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.
Notes:	<ol style="list-style-type: none"> 1. Use this segment to specify marks and numbers associated with a ship-to addressee. 2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data				
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Must Use	MAN01	88	Marks and Numbers Qualifier	M	ID 1/2
			Code specifying the application or source of Marks and Numbers (87)		
			L Line Item Only		
Must Use	MAN02	87	Marks and Numbers	M	AN 1/45
			Marks and numbers used to identify a shipment or parts of a shipment		
	MAN03	87	Marks and Numbers	O	AN 1/45
			Marks and numbers used to identify a shipment or parts of a shipment		
	MAN04	88	Marks and Numbers Qualifier	X	ID 1/2
			Code specifying the application or source of Marks and Numbers (87)		
			L Line Item Only		
	MAN05	87	Marks and Numbers	X	AN 1/45
			Marks and numbers used to identify a shipment or parts of a shipment		
	MAN06	87	Marks and Numbers	O	AN 1/45
			Marks and numbers used to identify a shipment or parts of a shipment		

Segment: **QTY** Quantity
Position: 570
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 5
Purpose: To specify quantity information
Syntax Notes:
Semantic Notes:
Comments:
Notes:

1. Use this 2/QTY/570 segment to specify the quantity of an item that is to be delivered in accordance with the quote delivery schedule. The deliverable quantity can be expressed as a discrete quantity or a quantity per time period, e.g., 1000 per month. To indicate a delivery rate per time period, cite in QTY02 the quantity to be delivered and cite in QTY03 the time period, e.g., days, weeks, months, quarters, years.
2. Use also to indicate the length of a delivery period, e.g., 4 quarters or the number of shipments
3. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data	Attributes
Des.	Element Name	
Must Use QTY01	673 Quantity Qualifier	M ID 2/2
	Code specifying the type of quantity	
	1J Due	
	Use to indicate the quantity to be delivered.	
	1K Time Units	
	Use to indicate the length of the delivery period.	
	SA Shipments	
	Use to indicate the number of shipments proposed to complete the deliverable quantity.	
Must Use QTY02	380 Quantity	M R 1/15
	Numeric value of quantity	
	1. When QTY01 is code 1J, cite the quantity to be delivered.	
	2. When QTY01 is code 1K, cite the length of the delivery period in this data element, e.g., 4 and in QTY03 identify the time measurement of the delivery period, e.g., months.	
QTY03	355 Unit or Basis for Measurement Code	O ID 2/2
	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	

1. Use any code.

2. An application program conversion table may be required to convert agency codes to X12 codes.

DA Days

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

MO Months

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

Q1 Quarter (Time)

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

WK Week

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

YR Years

When QTY01 is code 1J, use to indicate the frequency of delivery. When QTY01 is code 1K, use to indicate the length of the delivery period.

Refer to 003050 Data Element Dictionary for acceptable code values.

Segment: **MSG** Message Text
Position: 580
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.
Notes: 1. When LDT01 is code AI, use to identify the specified event.
2. Use this segment when the quote differs from the solicitation requirements or to provide information essential to the quote.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use MSG01	933	Free-Form Message Text	M AN 1/264
		Free-form message text	

Segment: **CTT Transaction Totals**
Position: 010
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax Notes: 1 If either CTT03 or CTT04 is present, then the other is required.
2 If either CTT05 or CTT06 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use CTT01	354	Number of Line Items	M N0 1/6
		Total number of line items in the transaction set	
		<i>Use to identify the total number of PO1 segments.</i>	
CTT02	347	Hash Total	O R 1/10
		Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element.	

Example:

-.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. ----- 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field.

This is the sum of the quantities (PO102) for all PO1 segments.

145

31 JULY 1995

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		<u>M</u> <u>ID</u> <u>1/2</u>
Must Use	AMT01	522	Amount Qualifier Code	
			Code to qualify amount	
			TT Total Transaction Amount	
			<i>Use to indicate the total amount of the quote.</i>	
Must Use	AMT02	782	Monetary Amount	M R 1/15
			Monetary amount	

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).

Syntax Notes:**Semantic Notes:**

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use SE01	96	Number of Included Segments	M N0 1/10
		Total number of segments included in a transaction set including ST and SE segments	
Must Use SE02	329	Transaction Set Control Number	M AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
		<i>This is the same number as appears in ST02.</i>	